

Innovative absorbent and spill control products you can rely on

EINSA DEIS I DISTRIBUIDORA DE EQUIPOS DEIS I INDUSTRIALES Y DE SEGURIDAD Distribuidor Autorizado

Absorbents and Spill Control Catalog

Welcome to Brady SPC

Innovative absorbent and spill control products you can rely on



A history of reliability

Since its founding in Somerset, New Jersey nearly 40 years ago, SPC has been successfully developing, manufacturing and shipping absorbent products. Throughout the decades, our customers have relied on SPC products to help them prevent slips, trips and falls within their facilities.

Our guiding principles:

- Developing high quality products appropriately suited to your needs
- Providing unmatched service levels
- Leveraging our industry-leading sales force to recommend the right products for the right application






Table of Contents Learning Center and Guides Marine **Absorbents**73 Safety Absorbents 77 Granular and Neutralizers83 Spill Kits and Containment87 Facility Safety Products

Reference and Index

A future of innovation

Absorbents and spill control products are our focus. At Brady SPC, we've invested in our people, processes and facilities to ensure that we provide you with the best products for all of your spill control needs. We're here to support you – every step of the way.





State-of-the-art facility

2014 marked the beginning of a new chapter for Brady SPC in Louisville, Kentucky. Supported by a state-of-the-art facility, our investment provides you with:

- Increased manufacturing capacity to handle most any request
- Improved geographic positioning for better service

Product innovation

Product performance and an emphasis on safety continue to permeate everything we do. Backed by a history of innovation, we're committed to developing differentiated products that align with customer needs while maintaining costs.

Dedicated SPC team

Not sure where to start, or have questions about a specific product? You can count on our industry-leading sales team to help. Our inside sales representatives are ready to take your call, understand your needs and provide you with the right solution, while our outside sales managers will work with you on-site to find the right solution.

Distribution locations and sales support across the US

In addition to our reliable products, we support our customers through unmatched sales expertise. Warehouses strategically positioned throughout the United States help to ensure your spill products are delivered efficiently.







Did you know? All Brady SPC meltblown polypropylene products are made in Louisville, Kentucky.



Why is spill control

inaportanta ving a proper spill control program that enables a quick and effective response can not only help to protect the environment, but also supports a safe and productive workplace for your employees.

Brady SPC supplies products that help you comply with EPA and OSHA regulations. Why does that matter? Because the cost of non-compliance can have devastating effects on a business's reputation and financial performance.

The EPA issued its final rule amending SPCC requirements under the authority of the Federal Water Pollution Control Act. This regulation became effective as of August 16, 2002.



The Poly-Edge Truck Mountable Spill Kit is designed to help you meet DOT spill containment regulations.

Need to know regulations

The following OSHA and EPA regulations protect your employees and the environment:

29 CFR 1910.22(a)(2) - 40 CFR 112.7(c)(1)(viii) - 29 CFR 1910.120(j)(1)(vii)

Walking-Working Surfaces Ceneral requirements for U.S. Department of The floor of every workroom **Spill Prevention, Control,** Transportation specified shall be maintained in a clean **and Countermeasure Plans**salvage drums or containers and, so far as possible, a Sorbert materials are included and suitable quantities of dry condition. Where wet in the types of prevention proper absorbents shall be processes are used, drainage systems that must be used for kept available and used in shall be maintained, and spill containment. areas where spills, leaks, or false floors, platforms, mats, ruptures may occur.

or other dry standing places should be provided where practicable.





What is an SPCC plan, and do I need

(SPCC) plan is a facility-specific, comprehensive plan outlining both the containment and countermeasures implemented to prevent a spill from occurring, and a series of response procedures in the event that one does occur. The SPCC plan addresses the following three areas:


- Operating procedures that prevent spills
- Control measures installed to prevent a spill from reaching the environment
- Countermeasures to contain, clean up and mitigate the effects of an oil spill that reaches the environment

Having an SPCC plan in place is an essential step to help companies avoid the costly impact of non-compliance, including fines as high as \$25,000 per day per violation.

HAZAR

Where do spills occur?

Not bound by the SPCC regulations? Having absorbents and spill kits on hand is still essential. The following facility diagram shows where spills most commonly occur. Take a look at these areas and keep them in mind when developing a spill control plan to keep your facility safe and compliant.







Exterior bulk Interior fluid storage storage

Oil-only products Consider specialty are ideal for outdoor items like drum top leaks and spills covers and spill because they pallets to manage absorb oil while all types of leaks. repelling water.



Machinery and equipment SOCs surround machinery to prevent leaks while pillows are placed under neath.



Shipping and Production, assembly receivingand maintenance

Keep spill kits near Make sure there are entrances to prevent plenty of pads and rolls spills from reaching on hand. These general the environment. purpose items come in a variety of sizes to support your facility needs.



8

Not sure where to start? Let Brady SPC experts help.

We understand that surveying a facility for potential trouble spots, proper absorbent usage and product selection can be extremely time consuming and confusing. But, it is extremely beneficial.

• Free absorbent survey

Brady's absorbent survey is a free service designed to help you keep your employees and equipment safe. This detailed survey asks the right questions and identifies how Brady SPC and its distributors can provide solutions for the proper use of absorbents in the plant. Many organizations use these surveys as an "environmental audit" and keep them on file.

Cost savings worksheet

Seeing is believing! This simple worksheet helps you compare the absorbents you are currently purchasing to our recommendations —quickly showing you the price difference and your cost savings. Contact your Brady SPC representative for more information, or for assistance selecting the right absorbents for your facility.



Learning Center

Do you know OSHA's recent silica

One of the nice bin S compositions for granular absorbents is diatomaceous earth, which is 80-90% silica based.

OSHA's recent final rule on limiting exposure to respirable crystalline silica was issued to curb lung cancer, silicosis, chronic obstructive pulmonary disease and kidney disease. All of which have been linked to high levels of silica. Rely on Brady SPC absorbent pads and rolls as a safer, more efficient, non-silica solution for absorbing leaks, drips and spills.



Learning Center



Clay granular • Pros: Low cost per bag and product familiarity

• Cons: Messy, very low absorbency ratio (generally 1:1), labor intensive clean up and high disposal costs

Making the switch to absorbents

No facility is free from leaks, drips and spills. And, when it comes to keeping your employees and the working environment safe, you need a reliable and cost-effective absorbent solution.

Take a look at the comparisons below between clay granular, rags and SPC absorbent pads to determine what solution best fits your needs.

Laundered rags

• **Pros:** Recycled and full system (products and disposal supported by the supplier)

• **Cons:** After each laundering, the rags lose some of their absorbency. Hard metals can never be completely removed, leading to significant health risks through exposure **SPC** absorbent pads

- **Pros:** Absorb an average of 20x their weight, offer multiple configurations and constructions and lower disposal costs
- Cons: Higher up-front cost

Material details	Clay granular (40 lb bag)	Rags (200 pads/drum)	SPC pads (100 pads/case)	
Gallons absorbed per week	20	20	20	gallons
Total material used	4 bags	170 rags	77 pads	per week
Total material costs	\$24	\$128	\$77	per week
Labor details				
Labor hours for clean-up	1	0.	0.	hours/wee
Total labor costs	\$20	3	3	k per week
		\$7	\$7	
Disposal details				
Drums disposed per week	1	(included)	0.1	per
Total disposal costs	\$200	(included)	5	week
			\$30	per
Savings summary				week
Weekly cost	\$244	\$135	\$114	per week
Annual cost	\$12,688	\$7,020	\$5,947	per year
Total cost after 5 year	\$63,440	\$35,100	\$29,733	over 5 years



*Values shown are for example purposes only and are based on average costs as published in 2016. Costs and savings may vary.

LCehaornoinsgin Cge nYtoeurr Absorbents

Step One: Know What You're Absorbing

Water- or oil-based fluids SPC recommends: Universal Absorbents

Use around machinery, under leaky pipes, in messy traffic areas or for general maintenance projects. Re-Form[™] universal absorbents are made of recycled materials and offer an environmentally friendly solution.

Universal for water- or oil-based fluids

- Coolants
- Solvents • Gasoline
- Kerosene
- Vegetable oil
- - Latex paint

Oil-based fluids outdoors/water repelling SPC recommends: Oil-Only Absorbents


Specialized for oil and other petroleum-based spills including paints and non-water soluble chemicals, these absorbents do not absorb water and float indefinitely. Re-Form[™] oil-only absorbents are made of recycled materials and offer an environmentally friendly solution.

Hazardous chemical fluids SPC recommends: Chemical Absorbents

Surfactant-treated polypropylene absorbents can be used on a wide range of chemicals, including hydrofluoric acid. They are chemically inert, so they will not react with aggressive fluids.

Keep in mind that absorbents take on the

properties of whatever they absorb, so the bright color provides a visual indication to separate waste streams.



Chemical for

Looking to save time, effort and money?

Use a mid- to high-level universal product, like MRO100, as the standard in your facility. These absorbents can be used in a wide variety of applications and with a standardized absorbent, you do not have to manage the inventory of multiple items.

See all MRO Plus absorbents on page 18.





2 Step Two: Identify Your Application



General purpose wiping, drips and leaks

SPC recommends: Pads, Rolls, SOCs and Pillows Pre-cut pads and perforated rolls provide easy access to absorbents for general purpose use around your facility. Use specialized SOCs and pillows around or underneath dripping equipment.



Heavy foot and forklift traffic

SPC recommends: Mats and Rugs

Mats and rugs offer greater durability to withstand harsh conditions. Barrier-backed options prevent liquid from penetrating the absorbent and reaching the floor underneath while printed mats warn of possible slip, trip and fall hazards.



Emergency spill response

SPC recommends: Spill Kits, Pallets and Drain Plugs Spill kits bundle all of the necessary products to clean up an unexpected spill. Other spill containment options include spill pallets, drain plugs and storage centers.



Specialty absorbents

SPC recommends: Marine or Granular

Marine environments require boom, sweep and drag nets to remove fluids in, or near, bodies of water. Granular absorbents are available when loose absorbents are preferred or when acid/base neutralization is required prior to spill clean up.

LCehaornoinsgin Cge nYtoeurr Absorbents

3 Step Three: Select Absorbent Features

Coverstock

Durability of an absorbent increases with the addition of a coverstock layer.

- For simple drips or leaks, a 1-ply absorbent is all you need
- For wiping scenarios or foot traffic areas, a 3-ply absorbent will offer the necessary durability
- For abrasive applications, a pad with spunbond coverstock helps to reduce linting or tearing

3-ply construction (2-sides coverstock) Two layers of coverstock offer maximum durability and reduce linting or tearing.

2-ply construction (1-side coverstock) A single layer of coverstock offers medium durability

and linting.


1-ply construction (No coverstock) Economical single-ply has lower durability resulting in high linting and tearing.

Absorbency weight

The absorbency weight can make a significant difference in how much product is required.

- For small spills, choose a light- or medium-weight product to avoid waste
- For large spills or continuous leaks,

choose a heavy-weight product to reduce material use



Under-saturated Absorbents aren't being used to their full potential. You're throwing money away!



Over-saturated Absorbents aren't cleaning the whole spill. Increase the weight to get the job done with less product.


Dimpled surface

Dimpling increases product strength for areas requiring greater durability.

Smooth absorbents have greater surface area and are more absorbent per square inch compared to similarly constructed, dimpled products.

Perforations

Perforations provide a variety of size options by allowing you to quickly tear off exactly what is needed to contain the spill.



Single perforation Featured on many pads and rolls.

	7
· · · ·	
	AL

Double perforation Featured on many rolls and mats.



Triple perforation Unique to the High Traffic Universal rolls.





All-purpose indoor spill control

RO

Universal Absorbency for water- or oil-based fluids

All-purpose absorbents clean-up oils, coolants, solvents and water-based fluids anywhere in your facility.

Around machinery, under leaky pipes or fittings, in messy traffic areas, for general maintenance projects — they are your first choice for indoor spill control. Plus, their gray color masks spills and stains, helping you resist the urge to pick up the absorbent before it is fully saturated.

Universal absorbent family

All universal pads and rolls start with a highly absorbent polypropylene core. From there, it's all about the application. Product families feature different weights, coverstocks and finishing to provide the right solution for your needs.

• Vegetable oil

• Water-based fluids

Kerosene



Liquids absorbed

- Coolants
- Solvents
- Oils
- Latex paint
- Gasoline

Popular applications

- Wiping tools
- Small spills
- Under leaky pipes
- Around liquid storage containers
- Around machinery
- In messy traffic areas Under dripping valves • General purpose maintenance





16

		Product Family	Durabilit	y Linting	Absorbend Weights	^{:y} Cost	Coverstock	
ers		MRO Plus® Pads and Rolls	333	Medium linting	Heavy Medium Light	\$\$\$	Top and bottom fine-fiber coverstock (3-ply)	
Best Sellers	General purpose drips, spills and wiping applications	GP General Purpose Pads and Rolls	33	Medium linting	Heavy Medium Light	\$\$	No coverstock (1-Ply)	
B		BASIC Universal Pads and Rolls	3	High linting	Heavy Light	\$	No coverstock (1-Ply)	

ions	Camouflaged for foot or forklift traffic, walkways and workstations	Battlemat® Rolls	333	Low linting	Heavy	\$\$\$	Top durable spunbond coverstock (2-ply)
Application	Safety printed coverstock for foot traffic and walkways	HT High Traffic Rolls	33	Low linting	Heavy Medium Light	\$\$	Top durable spunbond coverstock (2-ply)
lty	For abrasive wiping or low linting applications	UXT Xtra Tough Pads and Rolls	333	Low linting	Heavy Medium Light	\$\$\$	Top and bottom spunbond coverstock (3-ply)
Specia	Portable pocket-sized for small spills	Spill Response Plus Pads and Rolls	333	Medium linting	Heavy	\$\$	Top and bottom fine-fiber coverstock (3-ply)

material)	High absorbency for drips, spills and wiping	Re-Form™ Pro Plus* Pads	333	Medium linting	Heavy	\$\$\$	Top and bottom fine-fiber coverstock (3-ply)	
Friendly n 80% recycled material)	Foot traffic, walkways and workstations	Re-Form XPlus* Pads and Rolls	33	Medium linting	Medium	\$\$\$	Top and bottom coverstock (3-ply)	
Eco- minimun	General purpose drips, spills and wiping	Re-Form Plus* Pads and Rolls	33	Medium linting	Heavy Medium Light	\$\$	Top coverstock (2-ply)	24
(Made of	General purpose drips, spills and wiping	Re-Form* Pads	3	High lintin g	Heavy Medium Light	\$	No coverstock (1-ply)	

*Re-Form absorbents are not intended for use with highly aggressive chemicals.

Universal Absorbency





SPC)

Absorbs: Oils, coolants, solvents and water-based fluids Coverstock: Top and bottom

coverstock (3-ply)

Durability: 3 3 3

SPC

Linting: Medium linting

Absorbencies: Heavy, medium and light weight Cost: \$ \$ \$

Recommended for

- Anywhere there is a leak, drip or spill
- Production/machine areas
- Under assembly lines or equipment
- Maintenance areas and liquid storage areas

MRO Plus® Absorbents

Brady SPC's number one universal absorbent and the standard in all-purpose maintenance absorbents.

- Universal absorbency to handle most fluids (water, petroleum and chemical based)
- 3-ply (MMM) meltblown polypropylene construction increases durability and reduces lint

Additional features

- Perforated: Select exactly the size you need
- Dimpled: Adds durability and reduces linting
- **Gray color:** Masks spills, reducing the urge to replace absorbents before fully saturated
- **Perforated boxes:** Support easy storage and dispensing







MRO Plus Pads

Pre-cut pads are ideal for wiping or catching drips.

Catalog #	Туре	Size	Perforate	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
MRO50	Heavy-weight pad	30 in. x 30	Yes, 15	12.5	41	26.5	11	50/case
MR0150DND	Heavy-weight pad*	in. 15 in. x	in. Yes, 7.5	12.5	39	27	18	150/cas
MR0100	Heavy-weight pad	19 in. 15 in.	in. Yes, 7.5	12.5	26	17.5	30	е
MR0100-2	Heavy-weight pad	x 19 in. 15	in. Yes, 7.5	12.5	13.5	8	36	100/cas
MRO300	Medium-weight pad	in. x 19 in.	in. Yes, 7.5	12.5	20.5	14	30	е
*Features Dispen	se-N-Dispose System	15 in. x 19	in.					50/bale

Features Dispense-N-Dispose System

in.





MRO Plus Rolls

Continuous rolls are ideal for covering larger areas.

Perforations make it easy to select smaller sizes when needed.

Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
MRO30-DP	Heavy-weight roll	30 in. x 150	Yes, 15 in. and every 15 in.	12.5	49	32	12	1/case
MRO30P	Heavy-weight roll	ft. 30 in. x	Yes, every 30 in.	12.5	49	32	12	1/case
MRO30	Heavy-weight roll	150 ft. 30 in.	No	12.5	49	33	12	1/case
MR015-DP	Heavy-weight roll	x 150 ft. 15	Yes, 7.5 in. and 12 in. across	12.5	24	17.5	24	1/case
MR015P	Heavy-weight roll	in. x 150 ft.	Yes, every 18 in.	12.5	24	17.5	24	1/case
MR015	Heavy-weight roll	15 in. x 150	No	12.5	24	17.5	24	1/case
MRO350-DP	Medium-weight roll	ft. 15 in. x	Yes, 15 in. and every 15 in.	12.5	38	26.5	12	1/case
MRO315P	Medium-weight roll	150 ft. 30 in.	Yes, every 18 in.	12.5	20	14	24	1/case
MRO215P	Light-weight roll	x 150 ft. 15	Yes, every 18 in.	12.5	12	8	24	1/bale
		in. x 150 ft.						

15 in. x 150

ft.

Dispense-N-Dispose® system:

MRO150DND features 150 heavy weight pads in a unique Dispense-N-Dispose system — packaging doubles as a dispenser and a disposal bin all at once.



100/cas e

Universal Absorbency



Product summary

Absorbs: Oils, coolants, solvents and water-based fluids

Coverstock: No coverstock (1-ply)

Durability: 3 3

Linting: Medium linting

Absorbencies: Heavy, medium and light weight

Cost: \$ \$

Recommended for

• Anywhere there is a leak, spill or drip • Ideal for industrial settings such as machine shops, maintenance or manufacturing

• Under leaky pipes and machinery

GP Purpose"

"General

Absorbents pose absorbents offer the look, feel and performance of a premium product.

- Universal absorbency to handle most fluids
- (water, petroleum and chemical based)
- Efficient single-ply construction with

MAXX® Technology — absorption and strength without the extra weight

Additional features

- Perforated: Select exactly the size you need
- Dimpled: Adds durability and reduces linting
- **Gray color:** Masks spills, reducing the urge to replace absorbents before fully saturated







GP Universal Pads

Pre-cut pads are ideal for wiping or catching drips.

Catalog #	Туре	Size	Perforate	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
GP100	Heavy-weight pad	15 in. x 19	Yes, 7.5	20	30	12	30	100/cas
GP300	Medium-weight pad	in. 15 in. x	in. Yes, 7.5	20	25	10	30	е
GP200	Light-weight pad	19 in. 15 in.	in. Yes, 7.5	20	44	16	22	100/bale
GP500	Light-weight pad	x 19 in. 15	in. Yes, 7.5	20	22	8.2	30	200/cas
MXU1000	Light-weight pad (non-dimpled)	in. x 19 in.	in. Yes, 7.5	24	27	8	30	е
		15 in. x 19	in.					100/cas

in.

e 100/cas

е





GP Universal Rolls

Continuous rolls are ideal for covering larger areas.

Catalog #	Туре	Size	Perforate	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
GP30	Heavy-weight roll	30 in. x 150 ft.	No	13	48	28	12	1/bale

Save on disposal costs with MAXX® absorbents

Brady SPC's innovative MAXX technology process produces high absorbency products with reduced weight. You'll use fewer pads to clean-up a spill and will have lower overall disposal weights and costs.

Universal Absorbency



Product summary

Absorbs: Oils, coolants, solvents and water-based fluids

Coverstock: No coverstock (1-ply)

Durability: 3

Linting: High linting

Absorbencies: Heavy and light weight Cost: \$

Recommended for

Anywhere there is a leak, spill or drip
General industrial applications
Manufacturing, printing and transpor tation

BASIC Universal Absorbents

Value-priced universal all-purpose absorbent.

- Universal absorbency to handle most fluids (water, petroleum and chemical based)
- Economical single-ply pads and rolls made of universal meltblown polypropylene

Additional features

- Perforated: Select exactly the size you need
- Dimpled: Adds durability and reduces linting
- **Gray color:** Masks spills, reducing the urge to replace absorbents before fully saturated









BASIC Universal Pads

Pre-cut pads are ideal for small leaks and drips.

Catalog #	Туре	Size	Perforate	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
BPU100	Heavy-weight pad	15 in. x 17	Yes, 7.5	18	20.5	8.5	30	100/bal
BPU200	Light-weight pad	in. 15 in. x	in. Yes, 7.5	18	34	13.7	24	е
BPU500	Light-weight pad	17 in. 15 in.	in. Yes, 7.5	18	17	7	36	200/bal
		x 17 in.	in.					е

100/bal

е





BASIC Universal Rolls

Continuous rolls are ideal for covering larger areas.

Perforations make it easy to select smaller sizes when needed.

Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
BRU150	Heavy-weight roll	30 in. x 150	Yes, every 30	14.5	38	19.5	18	1/bale
BRU152	Heavy-weight split roll	ft. 15 in. x	in. Yes, every	14.5	38	19.5	18	2/bale
		150 ft.	30 in.					

Request a sample pack

Visit **BradyID.com/SPC** to request a free sample pack to see what Brady SPC absorbents can do for you!





BattleMat® Absorbents

Tough camouflage-patterned roll hides leaks and drips and is ideal for areas with moderate foot traffic.

- Universal absorbency to handle most fluids (water, petroleum and chemical based)
- Durable 2-ply construction is ideal for use in high traffic areas foot or forklift traffic
- Abrasion-resistant upper layer helps reduce linting while meltblown fibers grip the floor below

Additional features

- Perforated: Select exactly the size you need
- **Camouflage pattern:** Masks spills, reducing the urge to replace absorbents before fully saturated

Product summary

Absorbs: Oils, coolants, solvents and water-based fluids

Coverstock: Camouflage-printed top coverstock (2-ply)

Durability: 3 3 3 Linting: Low linting Absorbencies: Heavy weight Cost: \$ \$ \$

Recommended for

• Extra tough for foot and forklift traffic • Walkways and high traffic areas

• Where there's a need to mask spills • Under assembly lines, equipment or vehicles



Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
BM30	Heavy-weight	30 in. x 150	Yes, 15 in. and every 15 in.	12.5	53	34.5	12	1/case
BM15	roll Heavy-	ft. 15 in. x	Yes, 7.5 in. and 12 in. across	12.5	26	17	24	1/case
	weight roll	150 ft.						





"High HT Traffic"

Absorbentst for durability and high absorbency in "high traffic" and busy problem areas.

- Universal absorbency to handle most fluids (water, petroleum and chemical based)
- 2-ply construction with safety printed coverstock reduces linting and increases durability while meltblown fibers grip the floor below

Additional features

- Perforated: Select exactly the size you need
- Dimpled: Adds durability and reduces linting
- Printed safety message: Warns of slip, trip and fall hazards due to liquid spills

Product summary

Absorbs: Oils, coolants, solvents and water-based fluids

Coverstock: Safety-printed top coverstock (2-ply)

Durability: 3 3 Linting: Low linting

Absorbencies: Heavy, medium and light weight

Cost: \$ \$

Recommended for

• Extra tough for foot traffic and walkways

• Printed safety message for areas where slips, trips and falls may occur

Printed safety message warns of slip. trip and fall hazards



Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
HT30	Heavy-weight roll	30 in. x 150	Yes, 15 in. and every 15 in.	12.5	47	32	12	1/case
HT555	Heavy-weight roll*	ft. 15 in. x	Triple perf, 5 in. and every 18	12.5	23	16	24	1/case
HT15	Heavy-weight roll	150 ft. 15 in.	in. Yes, every 15 in.	12.5	23	16	24	1/case
HT303	Medium-weight roll	x 150 ft. 30	Yes, 15 in. and every 15 in.	12.5	63	40	8	1/bale
HT350	Medium-weight roll	in. x 300 ft.	Yes, 15 in. and every 18 in.	12.5	35	20	12	1/bale
HT153	Medium-weight roll	30 in. x 150	Yes, every 15 in.	12.5	32	20	16	1/bale
HT230	Light-weight roll	ft. 15 in. x	Yes, 15 in. and every 15 in.	12.5	42.5	29.5	8	1/bale
HT215	Light-weight roll	300 ft. 30 in.	Yes, every 15 in.	12.5	21.5	15	16	1/bale
* Does not incl	ude print.	x 300 ft. 15						

in. x 300 ft.



UXT "Xtra Tough"

Absorbents for applications that require high durability, non-linting and abrasion-resistance.

- Universal absorbency to handle most fluids (water, petroleum and chemical based)
- 3-ply construction with coverstock on both sides maximizes durability and minimizes linting
- Extra strength allows for wringing and re-use

Additional features

- Perforated: Select exactly the size you need
- Dimpled: Adds durability and reduces linting

Product summary

Absorbs: Oils, coolants, solvents and water-based fluids

Coverstock: Top and bottom coverstock (3-ply)

Durability: 3 3 3

Linting: Low linting


Absorbencies: Heavy, medium and light weight Cost: \$ \$ \$

Recommended for

• Wiping highly abrasive surfaces such as tools and machinery

Machining, maintenance or

food processing



Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
UXT100	Heavy-weight pad	15 in. x 19	Yes, 7.5	1	19.	14.	3	100/cas
UXT300	Medium-weight pad	in. 15 in. x	in. Yes,	1	5	5	0	е
UXT200	Light-weight pad	19 in. 15 in.	7.5 in.	1	17	12	3	100/cas
Rolls		x 19 in.	Yes, 7.5	1	31.	18.	0	е
UXT30DP	Heavy-weight	30 in. x 150	Yes, 15 in. and every 15 in.	1	53	57.	ł	2୭୦/ନୁରୁଣ
UXT15P	roll Heavy-	ft. 15 in. x	Yes, every 18 in.	1	7	5	2	ee
	weight roll	150 ft.		1	1	14.	2	1/cas
				1	7	5	4	e





Spill Response Plus Universal Absorbents

Convenient, portable size perfect for employees to fold or carry in their pockets for small spills.

- Universal absorbency to handle most fluids (water, petroleum and chemical based)
- Fine fiber coverstock on each side increases product versatility

Additional features

- Perforated: Select exactly the size you need
- Dimpled: Adds durability and reduces linting
- **Small size:** Clean up minor spills without wasting material



Product summary

Absorbs: Oils, coolants, solvents and water-based fluids Coverstock: Top and bottom coverstock (3-ply) Durability: 3 3 3

Linting: Medium linting Absorbencies: Heavy weight Cost: \$ \$

Recommended for

- Anywhere there is a leak, drip or spill
- Janitorial and maintenance
- Hospitality and retail

Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
SRP100	Heavy-weight pad	7.5 in. x 10	No	12.	5.5	4	9	100/case
SRP200	Heavy-weight pad	in. 7.5 in. x	No	5	11.	7.	6	200/case
Rolls		10 in.		12.	1	5	4	
SRP75P	Heavy-weight roll	7.5 in. x 50 ft.	Yes, 10 in.	₽ 2.5	3.3	1.85	êo	1/bale

Re-Form[™] Eco-Friendly Universal Absorbents for water- or oil-based fluids



Re-Form absorbent pads and rolls are eco-friendly, green products made of recycled materials. They feature the same universal absorbency as their polypropylene counterparts, making them ideal for coolants, solvents, oils and other water-based or petroleum-based fluids.

Re-Form absorbent materials have been tested to absorb 25-50% more than polypropylene materials, which means you'll use less product to absorb the same size spill.

Re-Form absorbents provide:

Better absorbency: Tested to be 25-50% more absorbent than standard polypropylene absorbents, so you'll use less product to get the job done.

Cost savings: Increased absorbency means

reduced waste and greater cost savings.

Green product: Made from a minimum of 80%

recycled fibers, unlike standard polypropylene absorbents. High absorbency, recycled materials give the products their greenish-blue color. A green product in more ways than one!

Sustainability: Supports corporate

sustainability and LEED initiatives.

Class A fire retardant:

Re-Form absorbents meet NFPA class A fire retardancy.

Why perforations?

Perforated pads and rolls allow you to quickly choose as large or as small of an absorbent as you need — cutting back on waste within your facility.





Product summary

Recommended for

• Anywhere there is a leak, drip or spill

• Production/machine areas

Maintenance areas

water-based fluids

coverstock (3-ply)

Absorbs: Oils, coolants,

Coverstock: Top and bottom

solvents and

Durability: 3 3 Linting: Medium linting Absorbencies: Heavy weight

Cost: \$ \$ \$

Re-Form Pro **Plus Absorbents**

The look, feel and performance of a traditional absorbent, but made from 90% recycled fibers.

- Universal absorbency to handle most fluids (water, petroleum and non-aggressive chemicals)
- Durable 3-ply construction is made
- of 90% recycled materials
- Extremely absorbent: absorbs 20 times its weight

Additional features

- Eco-friendly: supports corporate sustainability and LEED initiatives
- Perforated: Select exactly the size you need
- Dimpled: Adds durability and reduces linting



Absorbency Factor (gl/gs) Absorbency Capacity (gal) Shipping Wt. (lbs) Pallet Catalog # Туре Size Perforate Qty. Quantity 12.5 26 17.5 30 RFPP100 15 in. x 19 in. Yes, 7.5 100/cas Heavy-weight pad е

Re-Form absorbents are not intended for use with highly aggressive inchemicals.



Product summary

Recommended for

• Anywhere there is a leak, drip or spill

General purpose absorbent

Light foot traffic

water-based fluids

coverstock (3-ply)

Absorbs: Oils, coolants,

Linting: Medium linting Absorbencies: Medium weight

Coverstock: Top and bottom

solvents and

Durability: 3 3

Cost: \$ \$ \$

Re-Form XPlus Absorbents

A medium weight absorbent with meltblown coverstock on both sides for added durability.

- Universal absorbency to handle most fluids (water, petroleum and non-aggressive chemicals)
- Highly durable 3-ply construction made from 80%
- recycled cellulose and highly absorbent rags
- Up to 50% more absorbent than comparable

polypropylene absorbents

Class A fire retardant

Additional features

- **Eco-friendly:** Supports corporate sustainability and LEED initiatives
- Perforated: Select exactly the size you need



Shipping Wt. (lbs) Absorbency Capacity (gal) Pallet Absorbency Catalog # Perforated Factor (gl/gs) Qty. Туре Size Quantity Pads RFDP300 Medium-weight pad 16 in. x 18 in. Yes, 7.5 in. 16.5 32 16.6 24 100/case Rolls RFDP328-DP 28.5 in. x 150 ft. Yes, 14.25 in. and every 19 in. Medium-weight roll 16.5 55 33.3 8 1/case

Re-Form absorbents are not intended for use with highly aggressive chemicals.





Product summary

Coverstock: Top coverstock (2-ply)

Absorbencies: Heavy, medium

Linting: Medium linting

Recommended for

• Anywhere there is a leak, drip or spill

Production/machine areasUnder equipment or machinery

Absorbs: Oils, coolants,

solvents and water-based fluids

Durability: 3 3

and light weight **Cost:** \$ \$


Re-Form Plus Absorbents

Eco-friendly, all-purpose absorbent for wiping, drips and leaks.

- Universal absorbency to handle most fluids (water, petroleum and non-aggressive chemicals)
- Durable 2-ply construction made from 80%
- recycled cellulose and highly absorbent rags
- Up to 50% more absorbent than comparable
- polypropylene absorbents
- Class A fire retardant

Additional features

- **Eco-friendly:** Supports corporate sustainability and LEED initiatives
- Perforated: Select exactly the size you need



Catalog # Type Size Perforated Absorbency Factor (gl/gs) Absorbency Capacity (gal) Shipping Wt. (lbs) Pads RFP100 Heavy-weight pad 15 in. x 19 Yes. 7.5 1 4 19.



7

0

5

Pallet

Quantity

e

Qty.



Re-Form Absorbents

Economical general purpose absorbent offering superior absorbency compared to meltblown polypropylene.

- Universal absorbency to handle most fluids (water, petroleum and non-aggressive chemicals)
- Single-ply nylon mesh construction made from 80% recycled cellulose and highly absorbent rags
- Up to 50% more absorbent than comparable polypropylene absorbents
- Class A fire retardant

Additional features

• Eco-friendly: Supports corporate sustainability and LEED initiatives

Product summary

Absorbs: Oils, coolants, solvents and water-based fluids


Coverstock: No coverstock (1-ply) Durability: 3

Linting: High linting

Absorbencies: Heavy, medium and light weight Cost: \$

Recommended for

- Anywhere there is a leak, drip or spill
- Production/machine areas
- Maintenance areas with





Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
RF100	Heavy-weight pad	15 in. x 19	No	17.	4	19	1	100/cas
RF300	Medium-weight pad	in. 15 in. x	No	5	0	14.	8	е
RF500	Light-weight pad	19 in. 15 in.	No	17.	3	8	2	100/cas
Re-Form absorb	ents are not intended for us	se xwitt® inighly aggres	sive chemicals.	5	2	12	4	е
				17.	2		3	100/cas
				5	4		0	e



Universal Absorbency

Oil-Only Absorbency

Absorbs oil and repels water

1-888-272-3946 BradyID.com/SPC

Oil-Only Absorbency Absorb oil- and petroleumbased fluids while repelling water

Oil-only absorbents are specially designed to clean-up oils and petroleum-based liquids while also repelling water and floating indefinitely.

Unaffected by temperature and impervious to rot and mildew, oil-only absorbents are an ideal choice for outdoor use, in bodies of water or anywhere that water may be inadvertently absorbed.

Oil-only absorbent family

All oil-only pads and rolls start with a highly absorbent polypropylene core. From there, it's all about the application. Product families feature different weights, coverstocks and finishing to provide the right solution for your needs.



Liquids absorbed

- Drilling and cutting fluids
- Hydraulic and
- brake fluids
- Engine oils
- Transmission fluids
- Lubricants

- Gasoline. diesel and
- aircraft fuels • Cooking oils
- Oil-based paints and solvents
- Other oils and
 - petroleum-based fluids

Popular applications

- Outdoors
- Around bodies of water •
- Wiping tools
- Small spills
- Under leaky pipes
- Around machinery
- Outdoor storage containers
- Under dripping valves
- Other general purpose maintenance





Oil-Only Absorbency


		Product Family	Durability	y Linting	Absorbend Weights	^{Cost}	Coverstock		
srs		Oil Plus Pads and Rolls	33	Medium linting	Heavy Medium	\$\$\$	Top and bottom fine-fiber coverstock (3-ply)	0	
Best Sellers	General purpose drips, spills, wiping and marine applications	SPC Oil Pads and Rolls	33	Medium linting	Heavy Medium Light	\$\$	No coverstock (1-ply)		
ă		BASIC Oil Pads and Rolls	3	High lintin g	Heavy Light	\$	No coverstock (1-ply)		

tions	For abrasive wiping	SXT® Oil Pads and Rolls	333	Low linting	Heavy Medium Light	\$\$\$	Top and bottom spunbond coverstock (3-ply)
Specialty Applications	Contractor grade for emergency marine spills	ENV® Oil Pads and Rolls	3	High lintin g	Heavy Medium Light	\$	No coverstock (1-ply)
	For static electricity safety around fuel or other ignitable fumes	Static Resistant Pads and Rolls	3	High lintin g	Heavy	\$\$\$	No coverstock (1-ply)
	Portable pocket-sized for small spills	Spill Response Plus Oil Pads and Rolls	33	Medium linting	Heavy	\$\$	Top and bottom fine-fiber coverstock (3-ply)

Eco- Friendly	Made of minimum 80% recycled material. For drips, spills and wiping	Re-Form™ Oil Pads	33	Low linting	Heavy	\$\$\$	Top and bottom coverstock (3-ply)	
------------------	--	-----------------------------	----	----------------	-------	--------	---	--

Why repel water?

Many spills occur outdoors near bodies of water or during inclement weather. Oil-only absorbents repel that water ensuring that all of your pad's absorbency is used to pick up the oil.



Oil-Only Absorbency



Product summary

Absorbs: Oils, coolants, solvents and oil-based fluids

5PC)

Coverstock: Top and bottom coverstock (3-ply)

Durability: 3 3

Linting: Medium linting

Absorbencies: Heavy and medium weight

Cost: \$ \$ \$

Recommended for

- Anywhere there is a leak, drip or spill
- Fuel stations and automotive industries
- Precision engineering
- Printing industries

Oil Plus Absorbents

Perfect for general everyday use and emergency spill clean-up.

- Oil-only absorbency for petroleum-based oils, solvents and other non-water soluble liquids
- Floats indefinitely even when saturated with oil
- 3-ply meltblown polypropylene construction increases durability and reduces lint

Additional features

- Perforated: Select exactly the size you need
- Dimpled: Adds durability and reduces linting



Oil-Only Absorbency






Oil Plus Pads

Pre-cut pads are ideal for wiping or catching drips.

Catalog #	Туре	Size	Perforate	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
OP50	Heavy-weight pad	30 in. x 30	Yes, 15	12.5	41	24	11	50/case
OP150DND	Heavy-weight pad*	in. 15 in. x	in. Yes, 7.5	12.5	39	27	18	150/cas
OP100	Heavy-weight pad	19 in. 15 in.	in. Yes, 7.5	12.5	26	17.5	30	е
OP300	Medium-weight pad	x 19 in. 15	in. Yes, 7.5	12.5	20.5	14	30	100/cas
*Features Dispens	se-N-Dispose® System	in. x 19 in.	in.					е





Oil Plus Rolls

Continuous rolls are ideal for covering larger areas.

Perforations make it easy to select smaller sizes when needed.

Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
OP30-DP	Heavy-weight roll	30 in. x 150	Yes, 15 in. and every 15 in.	12.5	49	33	12	1/case
OP30P	Heavy-weight roll	ft. 30 in. x	Yes, every 30 in.	12.5	49	33	12	1/case
OP30	Heavy-weight roll	150 ft. 30 in.	No	12.5	49	33	12	1/case
OP15-DP	Heavy-weight roll	x 150 ft. 15	Yes, 7.5 in. and 12 in. across	12.5	24	17.5	24	1/case
OP15P	Heavy-weight roll	in. x 150 ft.	Yes, every 18 in.	12.5	24	17.5	24	1/case
OP15	Heavy-weight roll	15 in. x 150	No	12.5	24	17.5	24	1/case
OP350-DP	Medium-weight roll	ft. 15 in. x	Yes, 15 in. and every 15 in.	12.5	38	26.5	12	1/case
OP315P	Medium-weight roll	150 ft. 30 in.	Yes, every 18 in.	12.5	19	14	24	1/case
		x 150 ft. 15						

in. x 150 ft.

Dispense-N-Dispose® System:

OP150DND features 150 heavy weight pads in a unique Dispense-N-Dispose® system - packaging doubles as a dispenser and a disposal bin all at once.



100/cas е

Oil-Only Absorbency



Product summary

Absorbs: Oils, coolants, solvents and oil-based fluids

Coverstock: No coverstock (1-ply)

Durability: 3 3

Linting: Medium linting

Absorbencies: Heavy, medium and light weight Cost: \$ \$

Recommended for

• Anywhere there is a leak, spill or drip •

- Marine and environmental spills
- Oil refineries / fuel chemical
- General manufacturing

SPC® Oil Absorbents

Brady SPC's best-selling oil-only pads for industrial or marine use.


- Oil-only absorbency for petroleum-based oils, solvents and other non-water soluble liquids
- Floats indefinitely even when saturated with oil
- Efficient single-ply construction of MAXX® absorbent technology absorption and strength without the extra weight

Additional features

- Perforated: Select exactly the size you need
- Dimpled: Adds durability and reduces linting
- **Blue package color:** SPC oil absorbents are packaged in a blue bag to streamline absorbent identification in your facility



38





SPC105 features blue coverstock on one side.

SPC Oil Pads

Pre-cut pads are ideal for wiping or catching drips.

Catalog #	Туре	Size	Perforate	Absorbency Absorbency Shipping Pallet Factor (gl/gs) Capacity (gal)Wt. (lbs)Qty.Quantity
SPC50	Heavy-weight pad	33 in. x 39	No	18 73 33.5 10 50/bale*
SPC100	Heavy-weight pad	in. 15 in. x	Yes, 7.5 in.	18 35 14 30 100/bale*
SPC105	Heavy-weight pad (1 side w/blue coverstock)	19 in.	Yes, 7.5 in.	18 24 14 30 100/bale*
SPC300	Medium-weight pad	<u>15 in. x 19</u>	Yes, 7.5 in.	18 30 11 30 100/bale*
SPC200	Light-weight pad	in. 15 in. x	Yes, 7.5 in.	18 51 16 24 200/bale*
SPC500	Light-weight pad	19 in.	Yes, 7.5 in.	18 20 8.2 36 100/bale*
*SPC Oil Abso	orbents packaged in a blue bag.	15 in. x 19 in.		
		15 in. x 19		

in.





SPC Oil Rolls

Continuous rolls are ideal for covering larger areas.

Blanket rolls maximize absorbency and can be cut to size.

Catalog #	Туре	Size Perfo	Absorbency Absorbency Shipping Pallet rate Factor (gl/gs) Capacity (gal)Wt. (lbs)Qty.Quantity
SPC150	Heavy-weight	38 in. x 144 No	15 70 33 18 1/bale*
SPC152	roll Heavy-	ft. 19 in. x No	15 70 33 18 2/bale*
*SPC Oil Abs	or Merie htatokhaged in a blue bag	144 ft.	

laged in a blue

Oil-Only Absorbency

\star Best

Ĝood

Product summary

Absorbs: Oils, coolants, solvents and oil-based fluids

Coverstock: No coverstock (1-ply)

Durability: 3

Linting: High linting Absorbencies: Heavy and light

weight Cost: \$

Recommended for

- Anywhere there is a leak, spill or drip
- General industrial or manufacturing oilonly applications
- Marine and environmental spills
- Coast guard or on-board vessels

BASIC Oil Absorbents

Value-priced oil-only absorbent.

- Oil-only absorbency for petroleum-based oils, solvents and other non-water soluble liquids
- Floats indefinitely even when saturated with oil
- Economical single-ply pads and rolls made of oil-only meltblown polypropylene

Additional features

- Perforated: Select exactly the size you need
- Dimpled: Adds durability and reduces linting
- Clear package color: BASIC Oil Absorbents are packaged in a clear bag to streamline absorbent identification in your facility







BASIC Oil Pads

Pre-cut pads are ideal for wiping or catching drips.

Catalog #	Туре	Size	Perforate	Absorbency Factor (gl/gs)	Absorbency Capacity (day)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
BP0100	Heavy-weight pad	15 in. x 17	Yes, 7.5	18	20.5	8.5	30	100/bal
BP0200	Light-weight pad	in. 15 in. x	in. Yes, 7.5	18	34	14	24	е
BP0500	Light-weight pad	17 in. 15 in.	in. Yes, 7.5	18	17	7	36	200/bal
BASIC Oil Absorbents packaged in a clear bag 17 in.			in.					е

100/bal

Oil-Only Pads and Rolls

е





BASIC Oil Rolls

Continuous rolls are ideal for covering larger areas.

Perforations make it easy to select smaller sizes when needed.

Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (dal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
BR0150	Heavy-weight roll	30 in. x 150	Yes, every 30 in.	14.5	38	19.5	18	1/bale
BRO152	Heavy-weight split roll	ft. 15 in. x	Yes, every 30 in.	14.5	38	19.5	18	2/bale

BASIC Oil Absorbents packaged in a clear bag. 150 ft.

Suitable for outdoor storage

Oil-only absorbents are specifically designed to repel water, which means they can be stored outdoors and will not be affected by the weather, fluctuating outdoor temperatures or moisture.





SXT® Oil-Only Absorbents

The ideal absorbent when durability, abrasion resistance and low linting are required.

- Oil-only absorbency for petroleum-based oils, solvents and other non-water soluble liquids
- Floats indefinitely even when saturated with oil
- Durable 3-ply meltblown polypropylene construction with abrasion-resistant top and bottom coverstock layers
- Extra strength allows for wringing and re-use

Additional features

- Perforated: Select exactly the size you need
- Dimpled: Adds durability and reduces linting

Product summary

Absorbs: Oils, coolants, solvents and oil-based fluids

Coverstock: Top and bottom coverstock (3-ply)

Durability: 3 3 3 Linting: Low linting

Absorbencies: Heavy, medium and light weight Cost: \$ \$ \$

Recommended for

- Extra abrasive wiping
- High tech industries
- Paper industries
- Machining of small parts
- Precision engineering



Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
SXT100	Heavy-weight pad	15 in. x 19	Yes, 7.5	1	19.	14.	3	100/cas
SXT300	Medium-weight pad	in. 15 in. x	in. Yes,	2	5	5	0	е
SXT200	Light-weight pad	19 in. 15 in.	7.5 in.	1	17	10	3	100/cas
Rolls		x 19 in.	Yes, 7.5	2	31.	18	0	е
SXT30DP	Heavy-weight	30 in. x 150	¥es, 15 in. and every 15 in.	1	53	26.	ł	2ହୁନ୍∕ ୁ≲ ଣ୍ଟ୍ରs
SXT15P	roll Heavy-	ft. 15 in. x	Yes, every 18 in.	2	7	5	ĝ	ee
	weight roll	150 ft.		1	1	14	2	1/cas
				2	8		4	e





Product summary

Coverstock: No coverstock (1-ply)

Absorbencies: Heavy, medium

Marine and environmental spillsCoast guard and on-board vessels •

Recommended for

Absorbs: Oils, coolants,

solvents and oil-based fluids

Durability: 3 Linting: High linting

and light weight **Cost:** \$

Off-shore oil rigs

ENV® Oil Absorbents

Highly economical, contractor-grade oil-only absorbent for oil clean-up on land or water.

- Oil-only absorbency for petroleum-based oils, solvents and other non-water soluble liquids
- Floats indefinitely even when saturated with oil
- Efficient single-ply of MAXX® absorbent technology — absorption and strength without the extra weight

Additional features

• **Non-dimpled:** No dimples means maximum surface area for absorbtion

• **Green package color:** ENV absorbents are packaged in a green bag to streamline absorbent identification in your facility



Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
ENV50	Medium-weight pad	30 in. x 30	No	2	50	19	1	50/bale*
ENV100	Heavy-weight pad	in. 15 in. x	No	0	33	12.	4	100/bale
ENV300	Medium-weight pad	19 in. 15 in.	No	2	23.	5	3	*
ENV200	Light-weight pad	x 19 in. 15	No	0	2	10	0	100/bale
ENV500	Light-weight pad	in. x 19 in.	No	1	51	16	3	*
MX01000	Light-weight pad	15 in. x 19	Yes, 7.5 in.	8	24.	8	0	200/bale
Rolls		in. 15 in. x		2	5	8	2	*
ENV150	Medium-weight roll	19 in. 30 in: x 150 ft.	No	3 15	26 44	22	4 18	100/bale 1/bale*
*ENV oil absorb	ents packaged in a green ba	ıg.		2			3	×
				3			0	100/case
				2			3	

0

Oil-Only Absorbency



Product summary

Coverstock: No coverstock (1-ply)

Recommended for

• Wherever static electricity is a concern

• Around fuel or other ignitable fumes

Absorbencies: Heavy weight

Absorbs: Oils, coolants,

solvents and oil-based fluids

Durability: 3 Linting: High linting

Cost: \$ \$ \$

Cold environments

Heavy-weight roll

30 in. x 150 ft.

Static Resistant Oil Absorbents

Oil-only absorbents specially treated to resist static electricity build up around flammable liquid or delicate electronics.

• Oil-only absorbency for petroleum-based oils, solvents and other non-water soluble liquids making it ideal for outdoor use

· Economical single-ply pads and rolls made of oil-only meltblown polypropylene

Additional features

₹5

ģ4

22

• Non-dimpled: No dimples means maximum surface area for absorption

• NFPA specs: Meets National Fire Protection Association specifications



let

98

Quantity

25/bale 100/bal е

1/bale

	6

• (Computer production						
Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pall Qty.
Pads							
SR3625	Heavy-weight pad	30 in. x 30	No	1	1	9	1
SR100	Heavy-weight pad	in. 15 in. x	No	3	6	14.5	4
Rolls		19 in.		1	2		3

No



SR3600



Product summary

Absorbs: Oils, coolants, solvents and oil-based fluids

Coverstock: Top and bottom coverstock (3-ply)

Durability: 3 3 Linting: Medium linting Absorbencies: Heavy weight Cost: \$ \$

Recommended for

- Anywhere there is a leak, drip or spill
- Janitorial and maintenance
- Hospitality and retail

Spill Response Plus Oil

Absorbents e that's perfect for employees to fold or carry in their pockets for small spills.

- Oil-only absorbency for petroleum-based oils, solvents and other non-water soluble liquids
- Floats indefinitely even when saturated with oil
- Fine fiber coverstock on each side increases product versatility

Additional features

- Perforated: Select exactly the size you need
- Dimpled: Adds durability and reduces linting
- **Small size:** Clean up minor spills without wasting material



Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
SRPO100	Heavy-weight pad	7.5 in. x 10	No	12.	5.5	4	9	100/case
SRPO200	Heavy-weight pad	in. 7.5 in. x	No	5	11.	7.	6	200/case
Rolls		10 in.		12.	1	5	4	
SRP075P	Heavy-weight roll	7.5 in. x 50 ft.	Yes, 10 in.	1 2.5	3.3	1.85	êo	1/bale

Oil-Only Absorbency



Re-Form Oil-Only Absorbents

Eco-friendly oil-only absorbent offering superior absorbency — absorbs more than 30 times its weight.

- Oil-only absorbency for petroleum-based oils, solvents and other non-water soluble liquids
- Floats indefinitely even when saturated with oil
- 3-ply construction with top and bottom coverstock, all made from 80% natural cellulose fibers
- Class A fire retardant

Additional features

- Perforated: Select exactly the size you need
- **Eco-friendly:** Supports corporate sustainability and LEED initiatives



Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)		Pallet Qty.	Quantity
Pads								
RFODP100	Heavy-weight pad	15 in. x 19 in.	Yes, 7.5 in.	30	39	12	18	100/case

Re-Form absorbents are not intended for use with highly aggressive chemicals.

Cost savings with Re-Form absorbents

Re-Form absorbents have tested to be up to 50% more absorbent than their polypropylene counterparts. This can make a significant impact on the amount of product you need to get the job done.

Less product used = cost savings for you!



Chemical Absorbency

Chemical Absorbency

Color-coded for safety

Chemical Absorbency For when chemical-based fluids are present.

Alert your employees to the presence of hazardous fluids with green and yellow chemical absorbents from Brady SPC. These surfactant-treated polypropylene pads and rolls can be used on a wide range of chemicals and are chemically inert, so they will not react with aggressive fluids.

Chemical absorbent family

All chemical pads and rolls start with a highly absorbent polypropylene core. From there, it's all about the application. Product families feature different weights, coverstocks and finishing to provide the right solution for your needs.



Liquids absorbed

- Acids and bases
- Water-based fluids •
- - Other unknown
- chemicals
- Solvents

chemicals

Aggressive

- Citric acid
- Oil-based fluids

Sodium hydroxide

Popular applications

- Anywhere hazardous chemicals may be present
- Bulk chemical storage containers
- Nuclear power plants
- Laboratories

- Hospitals
- Pharmaceuticals and any industry utilizing chemicals
- Chemical manufacturing •

To recognize chemical waste stream









		Product Family	Durability	y Linting	Absorbenc Weights	y _{Cost}	Coverstock	
ions	For areas with a high slips, trips and falls risk	BRIGHTSORB ™ High- Misibilityolls	33	Low linting	Heavy Medium Light	\$\$\$	Top durable spunbond coverstock (2-ply)	100 00 ×
Specialty Applications	For general purpose wiping and dripping applications	Universal Plus Pads and Rolls	33	Medium linting	Medium	\$\$\$	Top and bottom fine-fiber coverstock (3-ply)	
cialty A	Economical all-purpose chemical absorbent	BASIC Chemical Pads and Rolls	3	High linting	Heavy Light	\$	No coverstock (1-ply)	
Spe	Portable pocket-sized for small spills	Spill Response Plus Chemical Pads and Rolls	33	Medium linting	Heavy	\$\$	Top and bottom fine-fiber coverstock (3-ply)	


Increase safety and savings: Color coded waste stream

Save on disposal costs by using different colored absorbents in specific parts of your facility and throughout your waste streams.

For example: a facility might use yellow absorbents in radioactive areas and green absorbents in their chlorine areas. Then the facility would use gray universal absorbents for the rest of their facility.

A color coded system benefits your employees'

understanding of the waste stream because they will assume yellow absorbents are saturated with radioactive waste and green absorbents are saturated with chlorine.



Chemical Absorbency



Absorbs: Acids, bases, oils, chemicals, solvents, water-based fluids,

unknown chemicals
Coverstock: Safety printed top

coverstock (2-ply) Durability: 3 3

Linting: Low linting

Absorbencies: Heavy, medium and light weight Cost: \$ \$ \$

ost: \$ \$ \$

Recommended for

- Areas with slip, trip and fall hazards
- Foot traffic areas
- Drips and spills involving hazardous chemicals

• Any industrial application utilizing aggressive fluids

BRIGHTSORB™ High-Visibility Safety Absorbents

Color and print make it ideal for areas where the risk of slips, trips and falls is greatest.

- Chemical absorbency for areas where chemicals may be present
- Product will not react with aggressive fluids
- 2-ply construction increases durability and reduces lint

Additional features

- Perforated: Select exactly the size you need
- Dimpled: Adds durability and reduces linting
- Printed message: Warns of slips, trips and falls
- **Bright color:** Warns of presence of leaks, drips or spills even in low light



50





BRIGHTSORB Pads

Pre-cut pads are ideal for wiping or catching drips.

Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
CH100	Heavy-weight pad	15 in. x 19	Yes, 7.5 in.	18	28	16	30	100/cas
CH1212	Medium-weight pad*	in. 12 in. x	Yes, 6 in.	12.5	30	14.5	30	е
CH1212-50	Medium-weight pad*	12 in. 12 in.	Yes, 6 in.	12.5	7.5	4	72	200/cas
CH200	Light-weight pad	x 12 in. 15	Yes, 7.5 in.	18	28	16	22	е
* Absorbent does not have print.		in. x 19 in.						50/case

200/cas



BRIGHTSORB Rolls

Continuous rolls are ideal for covering larger areas.

Perforations make it easy to select smaller sizes when needed.

Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
CH30DP	Heavy-weight roll	30 in. x 150	Yes, 15 in. and every 15 in.	12.5	40	25	12	1/case
CH15P	Heavy-weight roll	ft. 15 in. x	Yes, every 18 in.	12.5	20	14	24	1/case
CH303	Medium-weight roll	150 ft. 30 in.	Yes, 15 in. and every 15 in.	12.5	70	40	8	1/bale

x 300 ft.

Slip, trip and fall hazards

Slips, trips and falls are one of the greatest issues for organizations, accounting for **1 in 6 lost-time injuries and 96 million workdays lost** per year.¹ One of the most frequent causes of slips, trips and falls is a wet work surface.

Brady SPC's BRIGHTSORB High Visibility Safety line helps prevent these incidents and injuries through its bright, highlyvisible yellow color as well as the iconic "slipping man" logo for multi-lingual caution messaging.

¹ Smith, S. (2013, July 15). The High Costs of Slips, Trips and Falls. Retrieved from EHS Today.



Specialty product: For high abrasio n

Product summary

Absorbs: Acids, bases, oils, chemicals, solvents, water-based fluids,

unknown chemicals

Coverstock: Top and bottom

coverstock (3-ply) **Durability:** 3 3

Linting: Medium linting

Absorbencies: Medium weight

Cost: \$ \$ \$

Recommended for

- Drips and spills involving hazardous chemicals
- Pharmaceutical, Labs and Hospitals
- Research institutes
- Chemical plants

Universal Plus Chemical Absorbents

Durable chemical absorbents for wiping, drips, spills and leaks that may involve hazardous chemicals.

- Chemical absorbency for areas where chemicals may be present
- Product will not react with aggressive fluids
- Highly durable 3-ply construction reduces lint

Additional features

- Perforated: Select exactly the size you need
- Dimpled: Adds durability and reduces linting
- **Bright color:** Warns of presence of chemicals for proper disposal



Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
SPCUN1719	Medium-weight pad	15 in. x 19	Yes, 7.5	12.	20.	14.	3	100/cas
SPCUN1113	Medium-weight pad	in. 12 in. x	in. No	5	5	5	0	е
Rolls		12 in.		12.	20	16	3	200/cas
SPCUN3800	Medium-weight	30 in. x 150	Yes, 15 in. and every 15 in.	 ⊉2.	3	2	Q	e _{1/cas}
SPCUN1019	roll Medium-	ft. 15 in. x	Yes, 15 in. and every 15 in.	5	9	7	2	е
	weight roll	150 ft.		12.	3	2	1	2/cas
				5	9	4	2	е





BASIC Chemical

Absorbents for drips, spills and leaks that may involve hazardous chemicals.

- Chemical absorbency for areas where chemicals may be present
- Product will not react with aggressive fluids
- Economical single-ply construction

Additional features

- Perforated: Select exactly the size you need
- Dimpled: Adds durability and reduces linting
- **Bright color:** Warns of presence of chemicals for proper disposal



Product summary

Absorbs: Acids, bases, oils, chemicals, solvents, water-based fluids, unknown chemicals

Coverstock: No coverstock (1-ply)

Durability: 3

Linting: High linting

Absorbencies: Heavy and light weight

Cost: \$

Recommended for

- Drips and spills involving hazardous chemicals
- Chemical spill response teams
- Laboratories and hospitals

Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
BPH100	Heavy-weight pad	15 in. x 17	Yes, 7.5	1	2	8.5	3	100/bal
BPH200	Light-weight pad	in. 15 in. x	in. Yes,	8	0	13.7	0	е
BPH500	Light-weight pad	17 in. 15 in.	7.5 in.	1	3	7	2	200/bal
Rolls		x 17 in.	Yes, 7.5	8	4		4	е
BRH150	Heavy-weight roll	30 in. x 150	₩es, every 30 in.	1	3	19.	¥	100%bal
BRH152	Heavy-weight split roll	ft. 15 in. x	Yes, every 30 in.	8	8	5	8	ee
		150 ft.		1	3	19.	1	2/bal
				8	8	5	8	е

Chemical Absorbency



Product summary

Absorbs: Acids, bases, oils, chemicals, solvents, water-based fluids,

unknown chemicals

Coverstock: Top and bottom

coverstock (3-ply)

Durability: 3 3

Linting: Medium linting

Absorbencies: Heavy weight Cost: \$ \$

Recommended for

- Drips and spills involving
- hazardous chemicals
- Pharmaceuticals, laboratories and hospitals
- Research institutes
- Janitorial and maintenance

Spill Response Plus Universal Plus Absorbents

Convenient, portable size perfect for employees to fold or carry in their pockets for small chemical spills.

- Chemical absorbency for areas where chemicals may be present
- Product will not react with aggressive fluids
- Fine fiber coverstock on each side increases product versatility

Additional features

- Perforated: Select exactly the size you need
- Dimpled: Adds durability and reduces linting
- **Bright color:** Warns of presence of chemicals for proper disposal
- **Small size:** Clean up minor spills without wasting material



Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
SRPH100	Heavy-weight pad	7.5 in. x 10	No	12.	5.5	4	9	100/case
SRPH200	Heavy-weight pad	in. 7.5 in. x	No	5	11.	7.	6	200/case
Rolls		10 in.		12.	1	5	4	
SRPH75P	Heavy-weight roll	7.5 in. x 50 ft.	Yes, 10 in.	₹2.5	3.3	1.85	êo	1/bale



SOCs, Pillows and Drum Covers

For every leak, drip and spill need

SOCs, Pillows and Drum Covers

SOCs, Pillows and Drum Covers For every leak, drip and spill need

Specialty absorbent products including SOCs, pillows and drum covers can be used around a facility when a pad or roll may not be sufficient. The unique style of these products allows you to place the absorbent exactly where you need it.



Liquids absorbed

• Universal absorbency: Coolants, solvents, oils, paint and other water-based fluids

• **Oil-only absorbency:** Oils, coolants, solvents and other oil-based fluids (repels water)

• Chemical absorbency: Acids and bases, aggressive chemicals and other unknown chemicals

Popular applications

• Wrap a SOC around your machine to stop leaks from reaching the floor

- Place a pillow in a tight space between machines to catch splashes or overspray
- Keep drum storage areas clean and dry with pre-cut drum covers



SOCs, Pillows and Drum Covers



SOCs

Absorbent SOCs are dependable, flexible tubes that contain and absorb liquids. SOCs mold around corners and conform to uneven surfaces to soak up spills and drips, preventing fluid from escaping to other areas.

• Available in universal, oil-only and chemical absorbencies





Pillows

Absorbent pillows are ideal for use under spill pallets or machines that are known to drip or leak. Pillows are easy to retrieve, and can soak up oil and water-based fluids in hard-to-reach areas including sumps, catch basins and outdoor ponds.

• Available in universal, oil-only and chemical absorbencies





Drum Covers

Absorbent drum covers help eliminate messy drips and overflow when mixing or pumping liquids from drum barrels. Brady SPC drum covers keep drums, the floor and surrounding storage areas dry and clean.

• Available in universal and oil-only absorbencies



Flexible Absorbent SOCs

Liqu	Liquids Absorbed Product Family		Suitable for Aggressiv e Fluids	SOC Filling	Wringabl e and Can Be Incinerat	Additional Features
	Water based, Oil based Chemical based	ALLWIK® Universal SOCs	3	Polypropylene	ed 3	Most popular all-purpose SOC
al	Water based, Oil based Non-Aggressive Chemical based	SLIKWIK® Universal SOCs	-	Corn Cob	-	Cost-effective
nivers	Water based Oil based Chemical based	Cobra Coil® Universal SOCs	3	Vermiculite	-	Excellent for diking applications
D	Water based, Oil based Non-Aggressive Chemical based	BASIC Universal SOCs	-	Cellulose	-	Economical
	Water based, Oil based Non-Aggressive Chemical based	Re-Form® Universal SOCs	-	Recycled Newsprin t	-	Up to 50% more absorbent than polypropylene

Only	Oil based (repels water)	Oil-Only _ SOCs	Polypropylene	3	Floats indefinitely
Oil (Oil based (repels water)	Re-Form™ Oil-Only - SOCs	80% all natural cotton fibers	3	Up to 50% more absorbent than polypropylene

nical	Chemical based	BRIGHTSORB ® High- MisibilityOCs	3	Polypropylene	-	Color and print call attention to potential for slips, trips and falls	
Cher	Chemical based	HAZWIK® Chemical SOCs	3	Polypropylene	-	Color identifies presence of chemicals for correct disposal	•

*Re-Form absorbents are not intended for use with highly aggressive chemicals.

SOC usage tips

- Clean-up all loose materials, rags and other debris around the spill
- Prior to placement, shake SOC vigorously to evenly distribute absorbent within
- For best results, lay flat against the floor and overlap the SOC ends approximately 5 inches for extra spill protection
- Replace your SOC when liquid begins pooling or seeping underneath



58

Universal SOCs

• All-purpose SOCs to clean-up oils, coolants, solvents and water-based fluids throughout your facility.

• Gray color masks spills and stains — helping you resist the urge to pick up the absorbent before it is fully saturated.

Catalog #TypeSize ALLWIK	Absorbency / Factor Capac (gl/gs) (gal)		Shipping Wt. (lbs)	Pallet Qty.	Quantity
Universal					
AW124SOC3 in. x 12 ft.	9	1	1	4	4/case
AW806SOC3 in. x 8 ft. AW430SOC3	9	2	2	0	6/case
in. x 4 ft. AW412SOC3 in. x 4 ft.	9	1	1	3	30/cas
	9	2	2	0	е
SW46SOC3 in. x 3.5 ft. Cobra Coil		3	2	1	12/cas
	3	20	ĝo	1 6	\$0/case
CC400SOC3 in. x 4 ft. BASIC		1	1	3	
	8.5	8.5	29	4 8	12/case
BSC40SOC3 in. x 3.5 ft.					
BSC20SOC3 in. x 3.5 ft. Po-Form-	1	84	47.	1	40/cas
Universat	5	40.	5	2	е
-MS124SOC3 in. x 12 ft.	1	5	24	2	20/cas
MS806SOC3 in. x 8 ft. MS50SOC3	ର୍ହ.	1	1	4	\$\$/case
-in. x 4 ft. MS412SOC3 in. x 4 ft.	5	2	2	6	6/case
	8.	1	1	3	40/cas
	5	2	2	0	е
	7	4	4	1	12/cas
	8.	0	3	0	е
	5	1	1	3	







BASIC Cellulose SOC



SOCs, Pillows and Drum Covers

Oil-Only SOCs

• Absorbs oil, grease, transmission fluid, coolant and other petroleum-based liquids.

- Repels water and floats for outdoor applications
- Wringable and can be incinerated
- Strong wicking action: absorption begins instantly after contact with the spilled liquid, no need to turn the SOC
- SOC Construction:
- Oil SOCs made of polypropylene
- Re-Form™ SOCs made from 80% all natural cotton fibers

Catalog #TypeSize		Absorbency Absorbency Factor Capacity (gl/gs) (gal)		Pallet Qty.	Quantity
Oil-only Polypropylene					
OIL124SOC3 in. x 12 ft.	9	1	1	4	4/case
OIL806SOC3 in. x 8 ft.	9	2	1	0	6/case
OIL430SOC3 in. x 4 ft.	9	1	1	3	30/cas
OIL412SOC3 in. x 4 ft.	9	2	1	0	е
Oil-only Re-Form		2	3	1	12/cas
RF0412S0C3 in. x 4 ft.	13.5	8 15	10.5	36	12/case
		1	1	3	
		2	1	6	







(80% all natural cotton fibers)

Chemical SOCs

- Absorbs chemicals, acids and bases
- Flexible design is easily molded around spills
- BRIGHTSORB[™] SOC's bright yellow color and print help prevent risk of slips, trips and falls

Catalog #TypeSize	Absorbency Absorbency Factor Capacity (gl/gs) (gal)		Shipping Wt. (lbs)	Palle Qty. (t Quantity
BRIGHTSORB High Visibility					
CH124SOC3 in. x 12 ft.	9	1	1	4	4/case
CH412SOC3 in. x 4 ft.	9	2	2	0	12/case
Chemical		1	1	3	
HAZ124SOC3 in. x 12 ft.	9	2	ž	ģ	4/case
HAZ412SOC3 in. x 4 ft.	9	2	2	0	12/case
		1	1	3	
		2	2	6	







Pillows

Absorbent pillows are ideal for use under spill pallets or machines that are known to drip or leak. Pillows are easy to retrieve, and can soak up oil- and water-based fluids in hard-to-reach areas including sumps, catch basins and outdoor ponds.

Universal pillows

- All-purpose polypropylene pillow
- Suitable for most industrial applications
- Ideal under valves and for other dripping applications

Oil-only pillows

- Specialized oil-only polypropylene pillow will not absorb water or water-based solutions
- Ideal for outdoor use in waste troughs, coolant tanks, fluid reservoirs and sump wells

Chemical pillows

- Absorb chemicals, acids and bases
- Ideal for extra protection during packaging and transport
- BRIGHTSORB[™] High-Visibility Pillows feature a bright yellow color and print to help prevent slips, trips and falls

Catalog #TypeSize Universal	Absorbency A Factor Capaci (gl/gs) (gal)		Shipping Wt. (lbs)	Pallet Qty.	Quantity
AW1818Pillow18 in. x 18 in.					
AW99Pillow9 in. x 9 in. Oil only	12.	2	1	1	16/cas
OIL1818Pillow18 in. x 18 in.	5	8	9	5	е
OIL99Pillow9 in. x 9 in.	12.	1	1	4	32/cas
	\$ 2.	4	Q	Q	⊈6/cas
CH1818Pillow18 in. x 18 in.	5	8	9	5	е
HAZWIK Chemical	12.	1	1	4	32/cas
HAZ1818Pillow18 in. x 18 in.	9 2.5	4 4	٩o	Q5	€6/case
HAZ99Pillow9 in. x 9 in.					
	12.	2	1	1	16/cas
	5	8	9	5	е
	12.	1	1	4	32/cas
	5	4	0	0	е











BRIGHTSORB Chemical Pillow with high visibility color and print



HAZWIK[®] Chemical Pillow

Drum Covers

 \bullet Designed to fit 55-gallon drums — pre-cut holes fit drums with 1 or 2 bungholes

• Create a clean and safe work floor by helping to prevent pump drips from reaching the floor

• Liquids absorbed:

- Universal absorbs water-, oil- and chemical-based liquids

- Oil only absorbs oil- and petroleum-based liquids while repelling water



Catalog #	Туре	Size	Absorbency Al (gl/gs) (gal)(lb	Qty.			
Universal							
DTA25	Drum cover	22 in. dia.	12.5	6	6	60	25/case
Oil only							
DTO25	Drum cover	22 in. dia.	12.5	6	6	60	25/case




ALLWIK® Universal Drum Covers Oil-only Drum Covers

Spill pallets also available

Prevent liquid from reaching the floor by making sure your dru are placed on spill pallets. These pallets also help you comply with governmental secondary containment regulations.

Brady SPC spill pallets are available in a variety of sizes and are forklift friendly for easy re-location of your 55-gallon d throughout your facility.

See page 91 for more details.





Mats and Rugs

Mats and Rugs

Clean, dry floors help prevent slips, trips and falls

Mats and Rugs For foot and forklift traffic

Brady SPC absorbent mats and rugs help keep aisles and walkways slip-free by absorbing and containing oils, liquids or other spills. They are designed to hold up under the toughest conditions and are ideal for high-traffic areas and workstations. Compared to an entrance mat, absorbent mats and rugs offer better traction and reduce the tracking of liquids from one area to another.

Mat and rug family

Brady SPC absorbent mats and rugs are constructed from a variety of more durable polypropylene materials. Featuring barrier backings and tighter fiber weaves, these products will stand up to higher-traffic areas. This technology means that fibers or absorbent materials will not come loose around high-traffic areas or workstations.




Liquids absorbed

- Bases
 Solvents
- Oils
 Water-based fluids
- Chemicals

Popular applications

- Heavy foot traffic
- Aisles and walkways
- Around workstations
- To reduce tracking liquids throughout facility







Mats and Rugs

		Product Family	Durabilit	y Linting	Absorbenc Weights	^y Cost	Coverstoc	¢
sive	Areas with significant foot and forklift traffic	TOUGHSORB™ Permanent Adhesive Mat Rolls	333	Low linting	Heavy	\$\$\$	Needle-punched polypropylene, Adhesive backing (2-ply)	
Adhesive Backed	where traditional mats are a tripping hazard	TOUGHSORB™ Semi-Permanent Adhesive Mat Rolls	333	Low linting	Medium	\$\$\$	Needle-punched polypropylene with adhesive coating (2-ply)	
	Barrier backed for high-traffic aisles and walkways	BSM Barrier Spill Matting Rolls	333	Low linting	Medium	\$\$\$	Needle-punched polypropylene, Non-skid backing (2-ply)	ALC N
Non-Skid Barrier Backed	Safety print and barrier backed for high-traffic areas with a	BRIGHTSORB™ High-Visibility Barrier-Backed Mat Pads and Rolls	333	Low linting	Heavy	\$\$\$	Top spunbond coverstock, non-skid backing (3-ply)	Manual Action
Non- Barrier	greater risk of slips, trips and falls	High-Traffic (HT) Barrier-Backed Mat Pads and Rolls	333	Low linting	Heavy	\$\$\$	Top spunbond coverstock, non-skid backing (3-ply)	TIMAK BAVETY
	Outdoor areas specifically designed for transportation market	TrackMat ™ Matting	333	Low linting	Heavy	\$\$\$	UV-resistant top layer and non-skid barrier backing (3-ply)	and the second
	Among of	SIR Sorbent						10.00
ialty ats	Areas of moderate foot traffic	Industrial Rug Rolls	333	Low linting	Heavy	\$\$	Needle-punched polypropylene (1-ply)	Angle a farm
Specia Mats	Eco-friendly solution for areas with light to moderate foot traffic	Rag Rug Matting Pads and Rolls	33	High lintin g	Heavy	\$	Recycled cotton and polyester fibers (1-ply)	

Need to know OSHA regulation

29 CFR 1910.22(a)(2) – Walking-Working Surfaces

The floor of every workroom shall be maintained in a clean and, so far as possible, a dry condition. Where wet processes are used, drainage shall be maintained, and false floors, platforms, mats or other dry standing places should be provided where practicable.



TOUGHSORB™ Permanent and Semi-Permanent Adhesive Mats

Easy adherence for high-traffic aisles and walkways. Choose from permanent or semi-permanent options.

• Universal absorbency to handle most fluids (water, petroleum and chemical based)

• Strong needle-punched polypropylene with an adhesive backing

Additional features

• Adhesive backing: Permanent or semi-permanent adhesive backing adheres to surfaces to keep the absorbent in place and reduce slips, trips and falls.

Product summary

Absorbs: Oils, coolants, solvents and water-based fluids

Construction: Adhesive backing (2-ply) **Durability:** 3 3 3

Linting: Low linting

Absorbencies: Heavy and medium weight Cost: \$ \$ \$

Recommended for


- Aisles and walkways
- Areas with high foot and forklift traffic
- Lining entrances and exits
- Lining tool cribs and work surfaces




Permanent adhesive mat is protected by clear liner that must be removed prior to use.



Semi-permanent adhesive mat can be applied and removed as needed, making it ideal for floors and work surfaces.



66



BSM Barrier Spill Mat

Industrial rug with non-slip and leak-proof barrier backing for use in high-traffic areas and around workstations.

- Universal absorbency to handle most fluids (water, petroleum and chemical based)
- Strong needle-punched polypropylene with a non-skid backing
- Durable for high-traffic areas and helps eliminate slippery areas and unsightly tracking
- Tear-resistant and will not curl or buckle

Additional features

- **Non-skid barrier backing:** Prevents liquid from reaching the floor underneath while tacky underside reduces slips, trips and falls
- **Gray color:** Masks spills, reducing the urge to replace absorbents before fully saturated

Product summary

Absorbs: Oils, coolants, solvents and


water-based fluids Construction: Non-skid backing (2-ply) Durability: 3 3 3

Linting: Low linting Absorbencies: Medium weight Cost: \$ \$

Recommended for

• Ideal for high-traffic industrial applications and in workstations

• Premium surface protection during renovation work



Catalog #	Туре	Size	Perforate	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
BSM100	Medium-weight rug	36 in. x 100 ft.	No	8	25	24	20	1/bale

Mats and Rugs



BRIGHTSORB™ High-Visibility Barrier-Backed Mat

Absorbency, signage and durability all in one.

- Universal absorbency to handle most fluids (water, petroleum and chemical based). Product will not react with aggressive fluids
- Non-skid, barrier-backed 3-ply construction with spunbond coverstock for ultimate durability

Additional features

• **Barrier backing:** Prevents liquid from reaching the floor underneath

- Printed message: Warns of slips, trips and falls
- **Bright color:** Color-coded for safety and easy separation of hazardous waste



Absorbs: Oils, coolants, solvents and water-based fluids

Construction: Safety printed

coverstock and

barrier backing (3-ply) **Durability:** 3 3 3

Linting: Low linting Absorbencies: Heavy weight

Cost: \$ \$ \$

Recommended for

- Areas with low visibility
- Lining aisles and walkways
- High-traffic areas prone to leaks, drips and spills



Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
CHBB100	Heavy-weight pad	15 in. x 19 in.	No	11.7	21	15.8	30	100/case
Rolls								
CHBB30	Heavy-weight	30 in. x 100	No	11.	2	2	1	1/bal
CHBB15	roll Heavy-	ft. 15 in. x	No	7	7	2	2	е
	weight roll	100 ft.		11.	1	1	2	1/bal
				7	3	1	4	е





Product summary

Absorbs: Oils, coolants, solvents and water-based fluids

Construction: Safety printed coverstock and

barrier backing (3-ply)

Durability: 3 3 3 Linting: Low linting Absorbencies: Heavy weight

Cost: \$ \$ \$

Recommended for

- Aisles and walkways
- High-traffic areas prone to leaks, drips and spills
- Areas where a subtle safety messaging is desired

High-Traffic (HT) Barrier-Backed Mat

Universal absorbent with added durability to stand up to the toughest conditions.

- Universal absorbency to handle most fluids (water, petroleum and chemical based)
- Non-skid, barrier-backed 3-ply construction with
- spunbond coverstock for ultimate durability

• Printed safety message reminds workers to exercise caution near high-risk slip, trip and fall areas

Additional features

- Printed message: Warns of slips, trips and falls
- **Barrier backing:** Prevents liquid from reaching the floor underneath

• **Gray color:** Masks spills, reducing the urge to replace absorbents before fully saturated



Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
HTBB100	Heavy-weight pad	15 in. x 19 in.	No	10.1	18	14.8	30	100/case
Rolls								
HTBB30	Heavy-weight	30 in. x 100	No	10.	2	2	1	1/bal
HTBB15	roll Heavy-	ft. 15 in. x	No	1	3	0	2	е
	weight roll	100 ft.		10.	1	1	2	1/bal
				1	2	0	4	e

Mats and Rugs



TrackMat Matting

The ultimate barrier absorbent for high-volume petroleum spills.

- Universal absorbency to handle most fluids (water, petroleum and chemical based)
- Extremely durable absorbent with UV-resistant top layer makes it ideal for outdoor applications

Additional features

- Non-slip barrier backed: Prevents liquids from penetrating into the ground
- Dimpled: Adds durability and reduces linting

Product summary

Absorbs: Oils, coolants, solvents and

water-based fluids

Construction: Non-slip barrier backing (2-ply) Durability: 3 3 3 Linting: Low linting Absorbencies: Heavy weight Cost: \$ \$

Recommended for

• Where strength, absorbency and impermeability are needed

- Transportation companies
- Refineries and steel mills
- Railway or military



Catalog #	Туре	Size	Perforate	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
TM58	Heavy-weight	58 in. x 80	No	9	55	34	9	1/bale
TM29	roll Heavy-	ft. 29 in. x	No	9	20	24	18	1/bale
TM19	weight roll	80 ft. 19 in.	No	9	26	32	18	2/bale
	Heavy-weight	x 80 ft.						

roll





SIR Sorbent Industrial Rug

Designed for moderate traffic areas and workstations where there's a need for clean and safe work floors and walkways.

- Universal absorbency to handle most fluids (water, petroleum and chemical based)
- Durable, needle-punched polypropylene fibers for moderate traffic areas (1-ply)
- Eliminates slippery areas and unsightly tracking between the plant and office areas

Additional features

• **Gray color:** Masks spills, reducing the urge to replace absorbents before fully saturated

Product summary

Absorbs: Oils, coolants, solvents and water-based fluids

Construction: Needle-punched polypropylene (1-ply)

Durability: 3 3 3 Linting: Low linting Absorbencies: Heavy weight Cost: \$ \$

Recommended for

- Vehicles repair and service
- Warehouse and container terminal
- Surface protection during renovation
- Marine spills/wildlife preservation



Catalog #	Туре	Size	Perforate	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
SIR36	Heavy-weight rug	36 in. x 300	No	12.5	59	50	12	1/bale
SIR36150	Heavy-weight rug	ft. 36 in. x	No	12.5	29.5	25	18	1/bale
		150 ft.			-			

Mats and Rugs



Rag Rug Matting

Eco-friendly absorbent matting made from recycled cotton and polyester fibers

- Universal absorbency to handle most fluids (water and petroleum based)
- Economy rug provides good footing, masks dirt and absorbs spills

• Ideal for maintenance, repair and industrial environments

Additional features

• Eco-friendly: Supports corporate sustainability and LEED initiatives

Product summary

Absorbs: Oils, coolants, solvents and

water-based fluids

Construction: Recycled fibers (1-ply) Durability: 3 3 Linting: High linting Absorbencies: Heavy weight Cost: \$

Recommended for

• Ideal for high-traffic industrial applications and in workstations

• Premium surface protection during renovation work



Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
RAG1818	Heavy-weight pads	18 in. x 18 in.	No	9	38	32	24	50/case
Rolls								
RAG36150	Heavy-weight rug	36 in. x 150	No	9	5	4	6	1/bal
RAG24150	Heavy-weight rug	ft. 24 in. x	No	9	5	7	1	е
		150 ft.			3	5	2	1/bal
					7	2		е





Marine Absorbents

Marine Absorbents

High absorbency on the water

1-888-272-3946 BradyID.com/SPC

TRACE

Marine Absorbents High absorbency on the water

Brady SPC marine absorbents are specially designed to float on water and contain or absorb a wide variety of marine fuels and oils. From containment to booming and skimming operations, these absorbents will soak up unwanted fluids on lakes, rivers, streams and coastal shorelines. Marine absorbent products are made for high absorbency and rapid deployment in demanding emergency situations.



Liquids absorbed

- Oils
- Oil-based chemicals Solvents

Popular applications

- Marinas
- · Boats and ships ·
- Loading docks
- Affluent pipes
- Outdoor liquid transfer points
- Fuel storage tanks



Marine Absorbents

Absorbent booms

Brady SPC absorbent booms are designed to help you clean up oil spills on water by absorbing surface liquids.

Booms are constructed of highly absorbent polypropylene fibers encased in a durable skin that is lined with a heavyduty tow rope. The booms are fastened with three stainless steel connectors to allow for linkage and fast deployment in emergency situations, as well as for strength during retrieval or when towing heavy booms saturated with oil.

Premium SPC® Oil-Only Booms

• Oil-only booms absorb oil- and petroleum-based liquids while repelling water and floating indefinitely

- Strong, lint-free and gapless
- SPC5510 features two 5 in. x 10 ft. booms attached side by side for a double layer of absorption

Economical ENV® Oil-Only Booms

- Oil-only booms absorb oil- and petroleum-based liquids while repelling water and floating indefinitely
- Features interconnectivity and a lint-free blue sleeve

Universal Plus Chemical Booms

• Universal Plus booms absorb water-, oil- and chemical-based liquids

• Can be deployed indoors or outdoors

Catalog #TypeSize	Absorbency A Factor (gl/gs)				
Premium SPC Oil-only Booms					
SPC810Boom8 in. x 10 ft.	13.	7	4	1	4/bale
SPC510Boom5 in. x 10 ft.	3	1	0	2	4/bale
SPC5510Boom*5 in. x 10 ft.	12.	3	1	2	4/bale
SPC818Boom8 in. x 18 in.	6	2	9	0	10/bale
SPC518Boom5 in. x 18 in.	12.	3	1	2	10/bale
Economical ENV Oil Booms	1	2	9	0	
ENV810Boom8 in. x 10 ft.	13 .	Ê	13	1	4/bal
ENV510Boom5 in. x 10 ft.	12.	85	3	2	e
Universal Plus Chemical Booms	<u>1</u> 2.	1	8 H	32	4/bal
SPCUN810Boom8 in. x 10 ft.	6 13.	2 Z	2	Ø	⊈/bal
-SPCUN510Boom5 in. x 10 ft.	3	1	9	2	е
*SPC5510 features 4 booms tethered in	pairs for aldouble la	yer of a bsorb	ency.1	2	4/bal
	6	2	9	0	e








Premium SPC® Oil Booms





Economical ENV® Oil Booms

SPC5510 features booms attached side by side for double absorbency



Universal Plus Chemical Booms


Containment booms

• Designed to work as a containment barrier in order to keep oil spills on water from spreading

• Ideal for use in holding ponds to retain waste and debris on the surface of the water

Catalog	#Type	Size	Shipping Wt. (lbs)	Pallet Qty.	Quantity
CB612	Boom	6 in. float, 12 in. skirt, 100 ft.	200	3	1/case
CB305 Boom		sections 3 in. float, 4.5 in. skirt, 25 ft.	22.5	11	1/case
		sections			

sections



Designed as a containment barrier to prevent spills from spreading

Sweeps and pillows

• Sweeps feature a 2-ply construction with durable blue coverstock for extra strength (for use with oil- and petroleum-based fluids)

• Help skimming operations by effectively removing surface oil from the water

• 100 ft. sections are ideal for dragging behind or

connecting between two ships

Catalog #TypeSize	Absorbency Absorbency Shipping Pallet Factor (gl/gs) Capacity (gal)Wt. (lbs)Qty.Quantity			
SPC1900Sweep19 in. x 100 ft.	15 26 13 30 1/bale			
SPC10Pillow14 in. x 25 in.	12.5 52 30 10 10/bale			

Oil nets and drag nets


• Flat, chemical-resistant filaments in half-pound units float in water and trap heavy oil

• Reusable after draining or dousing with #1 or #2 weight oils; extracted oil can be recycled or downgraded as fuel oil

• Use as a sweep between boats or deployed along a shoreline

Catalog #Type	Size	Absorbency Absorbency Factor (gl/gs) Capacity (gal)	Shipping Pallet Wt. (lbs)Qty.	Qty.
ODN080il only	30 nets on 50 ft.	1515	1624	1/bale
ON0300il only	rope 30 nets (no	1515	1724	1/bale
	rope)			







BRIGHTSORB™ Safety Absorbents

High visibility for low light areas

Safety Absorbents BRIGHTSORB High-Visibility Absorbents and Spill Kits

Alert your employees to the presence of safety hazards with the use of absorbents that feature printed safety messaging and bright coloring. These polypropylene pads and rolls can be used on a wide range of fluids, and are chemically inert, so they will not react with aggressive fluids.

BRIGHTSORB high visibility family

All BRIGHTSORB absorbents start with a highly absorbent polypropylene core. The incorporation of safety messaging helps promote a culture of safety by providing a reminder to employees in the area to exercise a greater level of caution. Bright coloring is easily visible — even in low light conditions.



Liquids absorbed

- Water-based fluids
- Oil-based fluids
- Aggressive chemicals

Popular applications

- Anywhere hazardous
 chemicals may be present
- Low light areas
- Areas where slips, trips and falls are prevalent
- High traffic areas
- Lining workbenches and work cells
- General manufacturing and production

Did you know? Slips, trips and falls...

... are one of the leading causes of unintentional injuries in the U.S., accounting for **approximately 8.9 million emergency room visits**1

... account for **15% of all accidental deaths**, the second leading cause behind motor vehicles2

... lead to over 17% of all disabling occupational injuries3

... could be prevented with the right precautions



1 National Safety Council. (2011). Slips, Trips and Falls Fact Sheet. Retrieved from http://www.nsc.org/NSCDocuments_Advocacy/Fact%20Sheets/Slips-Trips-and-Falls.pdf 2, 3 OSHA. (2007). Slips, Trips and Falls Identification and Prevention. Retrieved from https://www.osha.gov/dte/grant_materials/fy07/sh-16625-07/slipstripsfalls.ppt





Product summary

Absorbs: Acids, bases, oils, chemicals, solvents, water-based fluids,

vater-based fluids, unknown chemicals

Coverstock: Safety-printed top coverstock (2-ply) Durability: 3 3 Linting: Low linting

Absorbencies: Heavy, medium and light weight Cost: \$ \$ \$

Recommended for

- Areas with slip, trip and fall hazards
- Foot traffic areas
- Drips and spills involving hazardous chemicals
- Any industrial application utilizing aggressive fluids

BRIGHTSORB High-Visibility Pads and Rolls

• Polypropylene pads and rolls handle most fluids (water, petroleum and chemical based) and will not react with aggressive fluids

• Tough 2-ply construction increases durability and reduces lint

• Pads are ideal for wiping or catching drips while continuous rolls are ideal for covering larger areas

Additional features

- Perforated: Select exactly the size you need
- Dimpled: Adds durability and reduces linting
- Printed message: Warns of slip, trip and fall hazards
- Bright color: Color-coded for safety even in low light



0

0

Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
CH100	Heavy-weight pad	15 in. x 19	Yes, 7.5	1	2	1	3	100/cas
CH200	Light-weight pad	in. 15 in. x	in. Yes,	8	8	6	0	е
Rolls		19 in.	7.5 in.	1	2	1	2	200/cas
CH30DP	Heavy-weight roll	30 in. x 150	Yes, 15 in. and every 15 in.	19.	<u>8</u>	é	£	e _{1/cas}
CH15P	Heavy-weight roll	ft. 15 in. x	Yes, every 18 in.	5	0	5	2	е
CH303	Medium-weight roll	150 ft. 30 in.	Yes, 15 in. and every 15 in.	12.	2	1	2	1/cas
		x 300 ft.		5	0	4	4	е
				12.	7	4	8	1/bale

5

Safety Absorbents



BRIGHTSORB™ High-Visibility Barrier-Backed

Matescy, signage and durability all in one.

- Polypropylene mats handle most fluids (water, petroleum and chemical based) and will not react with aggressive fluids
- Non-skid, barrier-backed 3-ply construction with spunbond coverstock for ultimate durability

Additional features

- **Barrier backing:** Prevents liquid from reaching the floor underneath
- Printed message: Warns of slip, trip and fall hazards
- Bright color: Color-coded for safety even in low light

Product summary

Absorbs: Oils, coolants, solvents and water-based fluids

Construction: Safety-printed top

coverstock and barrier backing (3-ply)

Durability: 3 3 3 Linting: Low linting Absorbencies: Heavy weight Cost: \$ \$ \$

Recommended for

- Areas with low visibility
- Lining aisles and walkways
- High-traffic areas prone to leaks, drips and spills



Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
CHBB100	Heavy-weight pad	15 in. x 19 in.	No	11.7	21	15.8	30	100/case
Rolls								
CHBB30	Heavy-weight	30 in. x 100	No	11.	2	2	1	1/bal
CHBB15	roll Heavy-	ft. 15 in. x	No	7	7	2	2	е
	weight roll	100 ft.		11.	1	1	2	1/bal
				7	3	1	4	е



BRIGHTSORB High-Visibility SOCs and Pillows

• Polypropylene SOCs handle most fluids (water, petroleum and chemical based) and will not react with aggressive fluids

• SOCs feature flexible design that easily molds around equipment, containing fluids from reaching nearby aisles and walkways

• Pillows are ideal for extra protection during packaging and

transport or use under spill pallets or machines known to drip

Catalog #	Туре	Size	Absorbency Ab Factor Capacit (gl/gs) (gal)		Shipping Wt. (lbs)	Pallet Qty. Q	Juantity
SOCs							
CH124	SOC	3 in. x 12	9	1	1	4	4/case
CH412	SOC	ft. 3 in. x 4	9	2	2	0	12/case
Pillows		ft.		1	1	4	
CH1818	Pillow	18 in. x 18 in.	12.5	₹4	9 .5	Q5	16/case





BRIGHTSORB High-Visibility Spill Kits

Kits include everything you need to contain your spill — a variety of absorbents, PPE and instructions. BRIGHTSORB polypropylene spill kits handle most fluids (water, petroleum and chemical based) and will not react with aggressive fluids. Their bright color and printed message warn of the potential for slip, trip and fall hazards during spill clean-up.

۲





BRIGHTSORB MAXX Packs

- Mini-packs in resealable zipper bags
- Kit dimensions: 15.5 in. x 19.5 in. x 20.5 in. contents:

• 20 pads (15 in. x 19 in.)

Catalog #	Туре	Absorbency Capacity (gal)	Shipping Pallet Wt. (lbs)Qty.	Qty.
MXP-C20	BRIGHTSORB Chemical	30	1424	5/case

BRIGHTSORB Economy Spill Kit

• Highly-visible, yellow PVC bag for small spills •

- Absorbs up to 5 gallons per kit
- Kit dimensions: 20 in. x 16 in. x 4 in.

• 10 pads (• 2 SOCs (3 in.	15 in. x 19 in.) x 4 ft.)	• 1 dispos • 1 pair nit	al bag trile gloves	• 1 instruction sh	leet
Catalog #	Туре		Absorbency Capacity (gal)	Shipping Pallet Wt. (lbs)Qty.	Qty.
SKCH-PP	BRIGHTSORB	Chemical	5	520	4/case

Safety Absorbents









S BRADY

BRIGHTSORB™ 6.5-Gallon Spill Bucket

- Easily accessible spill kit in a reusable bucket for a fast response to small spills
- Absorbs up to 5 gallons per kit
- Kit dimensions: 14 in. x 18 in.

Contents: • 10 pads (15 in. x 19 in.) • 2 disposal bags 1 instruction sheet • 3 SOCs (3 in. x 4 ft.) • 1 pair nitrile gloves Shipping Pallet Wt. (lbs)Qty. Absorbency Capacity (gal) Catalog # Туре Qty. 836 5 SKCH-BKT **BRIGHTSORB** Chemical 1/each

BRIGHTSORB 20-Gallon Lab Pack

• UN-approved water- and chemical-resistant polyethylene container with screw-top lid for medium spills

- Absorbs up to 17 gallons per kit
- Kit dimensions: 21 in. x 18 in.

Contents:

SKCH-20

 12 pads (15 in. x 19 in.) 3 SOCs (3 in. x 12 ft.) 2 pillows (18 in. x 18 in.) 	 3 disposal bags 1 pair goggles 1 pair nitrile gloves 	• Emergency Response Guidebook
Catalog # Type	Absorbency Capacity (gal)	Shipping Pallet Wt. (lbs)Qty. Qty.

17

2612

1/each

BRIGHTSORB 55-Gallon Drum

BRIGHTSORB Chemical

- Lever-locked 55-gallon drum meets UN specifications and is ideal for medium spills
- Absorbs up to 38 gallons per kit
- Kit dimensions: 24 in. x 37 in.

Contents:

Catalog #	Туре	Capacity (gal)	Wt. (lbs)Qty.	Qty.
SKCH-55	BRIGHTSORB Chemical	38	528	1/each

BRIGHTSORB 95-Gallon Overpack

• Tough, secure, screw-topped overpack drum meets UN and DOT specifications and is ideal for large spills

- Absorbs up to 75 gallons per kit
- Kit dimensions: 31.5 in. x 35 in.

Contents:

• 110 pads (15 in. x 19 in.) • 12 SOCs (3 in. x 4 ft.)	 8 pillows (18 in. x 18 in.) 10 disposal bags 	 1 pair nitrile gloves Emergency Response
• 8 SOCs (3 in. x 12 ft.)	• 1 pair goggles	Guidebook

Catalog #	Туре	Absorbency Capacity (gal)	Shipping Pallet Wt. (lbs)Qty.	Qty.
SKCH-95	BRIGHTSORB Chemical	75	1042	1/each

Granular and Neutralizers

Granular and Loose Nettralizers

1-888-272-3946 BradyID.com/SPC

Granular and Neutralizers

Granular and Neutralizers Loose, multi-purpose absorbents

Granular absorbents are loose, multi-purpose absorbents used for liquid spill clean-up, lab packing and stabilization of free liquids. These absorbents are ideal for facilities that prefer or require the use of traditional granular absorbents.

Neutralizing polymers provide safe spill control for most acids, including battery spills. Color change indicates when neutralization has taken place.

The small, loose particles of a granular absorbent make it ideal for applications where a pad or roll would not offer a proper fit. Liquids don't always spill on a smooth surface. In those instances, a granular absorbent can absorb liquids from the cracks and crevices of a variety of surfaces.



Liquids absorbed

• Oils

• Chemicals •

Solvents

Popular applications

• Absorbing oils, solvents, lubricants, coolant and water on uneven surfaces including on roads or parking lots

• Acid or base spills requiring neutralization prior to spill cleanup

Must know OSHA silica ruling:

One of the most common compositions for granular absorbents is diatomaceous earth, which is 80-90% silica based.

OSHA's final rule on limiting exposure to respirable crystalline silica was issued in 2016 to curb lung cancer, silicosis, chronic obstructive pulmonary disease and kidney disease. All of which have been linked to high levels of silica.

Rely on Brady SPC absorbent pads and rolls as a safer, more efficient, non-silica solution for absorbing leaks, drips and spills.



Granular and Neutralizers

SpillFix[®] Granular Absorbent

The new standard in loose absorbents

- Completely natural no carcinogens, no dust indoors; landfill and incinerator safe outdoors
- Highly effective absorbs hydrocarbons, chemicals and water-based solutions
- Workplace friendly natural construction
- prevents damage to equipment or floors; a regular occurrence with clay-based granulars

• Deploy indoors or outdoors to clean up spills in hard to reach areas

4X more absorbent

A 20 lb bag of SpillFix granular absorbs 4x the liquid of traditional clay granulars





SpillFix Granular Absorbent

- Premium absorbent solution constructed of 100% recycled material Extremely effective in the absorption of hydrocarbons,
- water-based

ne w fluids and most aggressive chemicals

• Certified safe for landfill disposal

	 Lightweight and easy Catalog #Type 	to dep Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty. Quantity
	SF-2020 lb bag	20 lbs	4.5	7	995	481 pallet
	SF-77 lb bag	7 lbs	4.5	2	900	1241 pallet
e	SF-JAR3 qt. jar (pallet)	3 qt.	4	0.75	365	2881 pallet
	SF-JAR-CS3 qt. jar (case)	3 qt.	4	0.75	7	- 6/case



SpillFix Granular Boom

- The benefits of SpillFix granular contained in a biodegradable sleeve
- Wringable for added life

Catalog #	Туре	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty. Quantity
SF-10BOOM	Воо	4 in. x 10	4.5	6	20	48 2/case
SF-5BOOM	m	ft. 4 in. x 5	4.5	6	16	48 4/case
	Воо	ft.				
	m					



Re-Form™ Granular

• 100% recycled material -safe for the environment and employee use •

Absorbs oils, solvents, lubricants, coolants, water and most non-aggressive liquids on contact

• 1:1 absorbency ratio - absorbs its own weight in oil

Catalog #Type	Size	Absorbency Absorbency Shipping Pallet Factor (gl/gs) Capacity (gal)Wt. (lbs)Qty.Quantity
RFGRANULARRe-Form granular	30 lbs	116.71,950651 pallet

SPC Granular Absorbent

• All natural corn cob product for oil, grease, water and other liquids (Not for use with aggressive fluids)

• Ideal for use in aircraft maintenance, machine shops, food processing, filling lines and bulk liquid transfer stations

Catalog #	Туре	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	
DZ100	Universal granular	40 lbs	1.0	8.5	1,600	401 pallet

Acid and Base Neutralizing Polymers

• Acid neutralizer provides safe spill control for most acids, including battery spills

- Base neutralizer used for lab equipment and most bases
- Color change lets you know neutralization has taken place. Acid neutralizer changes to purple, base neutralizer changes to orange
- Non-toxic, non-corrosive and non-hazardous

Catalog #	Туре	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty. Quantity
SPC-ACID	Acid neutralizer	2	n/a	0.65	2	1,200 1/each*
SPC-BASE	Base	lbs	n/a	0.65	2	1,200 1/each*

*SPC-ACID and BRUT BASE shaker mahimum order of 12.

lbs







Try absorbents without a commitment — request a free sample pack today

Making the switch from granuar to absorbent pads can be overwhelming. With a Brady SPC sample pack, you can put absorbent pads to the test in your facility without making any commitments.

Request a sample today at: **BradyID.com/SPC**





Spill Kits and containmen

Keeping you safe from unexpected spills or leaks

Spill Kits and Containment Keeping you safe from unexpected spills or leaks

A proper spill containment plan can help create a safe and productive work environment for your employees. Brady SPC spill containment products help to prepare and protect any facility with solutions for unexpected accidents. Absorbent storage centers and spill kits provide fast-response solutions for unplanned spills of oils, solvents, coolants and other fluids. Brady SPC drain plugs, spill decks, berms, pans and pallets also help ensure facility safety by catching, controlling and containing unexpected leaks, drips and spills.



Liquids absorbed

- Universal absorbency: Coolants, solvents, oils, paint and other water-based fluids
- **Oil-only absorbency:** Oils, coolants, solvents and other oil-based fluids (repels water)
- **Chemical absorbency:** Acids and bases, aggressive chemicals and other unknown chemicals

Popular applications

- Accidental or unexpected spills
- Indoor and outdoor drain applications
- Drain pans for dripping valves or faucets
- Storing absorbent products at the point of need



Drain Protection

EPA regulations require that facilities prevent fluids from entering the environment. To effectively prevent run-off from reaching storm drains, make sure to have the appropriate drain protection on hand.

Drain Plugs

• Conical-shaped drain plugs made from chemical-resistant PVC keep spills from entering the drainage system and feature a "metal eye" for easy insertion or removal. Then just rinse and re-use when finished

Catalog #	Туре	Size	Shipping Wt. (lbs)	Pallet Qty.	Quantity
PLUG6	Drain plug	6 in.	6	50	1/case
PLUG4	Drain plug	4 in.	4	50	1/case
PLUG3	Drain plug	3 in.	3	50	1/case
PLUG2	Drain plug	2 in.	2	50	1/case



Drain Seals


- Resist water, oil and most aggressive fluids
- Easy application; soap and water cleanup for re-use

• SLIKSTOPPER drain seals are made from flexible, chemical resistant PVC and help prevent spills from flowing into drainage systems

• Spill Magnet Seals are backed with a strong magnet to tightly seal drains

Catalog #	Туре	Size	Shipping Wt. (lbs)	Pallet Qty.	Quantity
PVC42	Slikstopper	42 in. x 42	46	20	1/case
PVC36	Slikstopper	in. 36 in. x	34	35	1/case
PVC24	Slikstopper	36 in. 24 in.	14	40	1/case
PVC18	Slikstopper	x 24 in. 18	9	80	1/case
96229	Spill Magnet	in. x 18 in.	1	100	1/each

12 in. dia.



Drain Seal

Storm Drain Guards

• Non-woven polypropylene drain guards keep oil, sediment and contaminants from entering the water system

- Holds up to 40 lbs of sediment;
- flow rate is 500 gpm (new) and 700 gpm bypass
- DGUARD14 and DGUARD1410 feature X-TEX filter strips
- which increase absorbency

Catalog #	Туре	Size	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty. Quantity
DGUARD14	Drain guard	36 in. x 48 in. x 18	1.4	2	36 1/case
DGUARD1410	Drain guard	in. 36 in. x 48 in. x	14	20	20 10/case
DGUARD9	Drain guard	18 in. 36 in. x 48 in.	0.9	1	36 1/case
DGUARD910	Drain guard	x 18 in. 36 in. x 48	9	10	20 10/case



Spill Kits and Containment

Drip Pans and Mats


SPC spill containment products are designed with your efficiency in mind - keeping your employees and work environment safe from unexpected drum spills or leaks.

Drip Pans

• Durable, low profile, polyethylene drip pans easily fit under leaky drum spigots and other problem areas

• Pan and universal fill captures up to 3/4 of a gallon of liquid

Catalog #	Туре	Size	Shipping Wt. (lbs)	Pallet Qty.	Quantity
DPA24	Drip pan	10 in. x 10 in.	6	20	24/case



Drip Pads

· Provide additional durability to your pads for tougher environments • 22 oz pad is made of flexible PVC

- 30 oz pad is made of XR5 for additional strength under the toughest conditions
- Grommet included to allow pad to be tied down

DRIP1720-Y 22 oz pad 17 in. x 20 2 n/a 1/each DRIP1720-B 30 oz pad in. 17 in. x 2 n/a 1/each	Catalog #	Туре	Size	Shipping Wt. (lbs)	Pallet Qty.	Quanti
DRIP1720-B 30 oz pad in. 17 in. x 2 n/a 1/each	DRIP1720-Y	22 oz pad	17 in. x 20	2	n/a	1/each
	DRIP1720-B	30 oz pad	in. 17 in. x	2	n/a	1/each

20 in.





Spill Decks and Pallets

SPC spill containment products help keep your employees and work environment safe from unexpected drum spills or leaks during storage and collection.

• **Solid construction:** Injection molding ensures exceptional durability and consistent specifications

- Standard lip and grate heights: Manufactured to standard
- heights to allow uninhibited movement
- Nestable: Remove the grates and stack for storage

• **Grate pins:** Pins keep the grates in place during use and prevent the walls from bulging

• Interchangeable grates with large openings: Removable grates can be used with spill decks or spill pallets (even between 2- and 4-drum pallets)



Forklift friendly: Easily re-locate your decks or pallets

Spill Decks

- Low profile, 21.2 gallon capacity, 2-drum spill decks
- Contain hazardous leaks in your drum storage and dispensing areas
- Built-in clips easily connect multiple decks creating a 4, 6, 8 or more drum storage platform

Catalog #	Туре	Size		Load Shipping Pallet Cap. (lbs)Wt. (lbs)Qty.Quantity
SC-SD2	2-drum spill deck	26 in. x 52 in. x 6 in.	21.2	2,500 31 15 1/each


Spill Pallets

- Comply with governmental secondary containment regulations
- Capacity up to 128 gallons
- 2-drum or 4-drum configuration


Catalog #	Туре	Size	Absorbency Capacity (gal)	Load Cap. (lbs)	Shipping Pallet Wt. (lbs)Qty.Quantity
SC-DP4	4-drum	52 in. x 52 in. x 17	128	2,200	89 10 1/each
SC-DP2	pallet 2-	in. 26 in. x 52 in. x	68	1,100	46.5 10 1/each
SC-DPR	drum pallet	17 in. 32.5 in. x 70	n/a	650	47.5 3 1/each


Pallet ramp

in.



Easy loading ramp (sold separately) works with both the 2-drum and 4-drum spill pallets.







Spill Berms

These collapsible secondary containment berms can be used to contain spills and leaks from vehicles, machinery, tanks, drums and other industrial equipment.

Foam Side Wall Berm

- Portable, lightweight, flexible folds up for storage and transport
- Re-useable berm is easy to clean and maintain
- Requires no assembly, tools or inflation unfold and use immediately

Catalog #	Туре	Size	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Quantity
FW181804-Y	Foam	18 in. x 18 in. x 4	5	2	1/each
FW242404-Y	berm	in. 24 in. x 24 in. x	9	2.4	1/each
FW363604-Y	Foam	4 in. 36 in. x 36 in.	20	3.8	1/each
FW484804-Y	berm	x 4 in. 48 in. x 48	36	5.5	1/each
FW486004-Y	Foam	in. x 4 in. 48 in. x	45	6.4	1/each
FW487204-Y	berm	60 in. x 4 in. 48 in.	54	7.4	1/each
	Foam	x 72 in. x 4 in.			

berm

L-ROD Bérm

• Fully collapsible and can be rapidly deployed

• RF welded construction made of chemical- and hydrocarbon-resistant polyester

- Aluminum L-Rods support the berm walls, but are easily
- folded to allow for entry/exit of vehicles or machinery
- Re-useable berm is easy to clean and maintain

Catalog #	Туре	Size	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Quantity
LROD101012	L-ROD berm	10 ft. x 10 ft. x 1	675	42	1/each
LROD101512	L-ROD berm	ft. 10 ft. x 15 ft. x	1,010	57	1/each
LROD102012	L-ROD berm	1 ft. 10 ft. x 20 ft.	1,350	73	1/each
LROD151512	L-ROD berm	x 1 ft. 15 ft. x 15	1,520	78	1/each
LROD202012	L-ROD berm	ft. x 1 ft. 20 ft. x	2,695	125	1/each
		20 4 1 4			

20 ft. x 1 ft.







Vehicle Spill Berm

- Self-contained berms feature single piece construction for enhanced durability
- Requires no assembly, tools or inflation

Catalog #	Туре		Size	Shipping Wt. (lbs)	Quantity
SB-1236	Vehicle	spill	12 ft. x 36 ft. x 1	149	1/each
SB-1226	berm	Vehicle	ft. 12 ft. x 26 ft. x	112	1/each
	spill berr	n	1 ft.		







Absorbent Storage

Absorbent storage centers help to ensure fast spill response by keeping absorbents close to the point of need when an unplanned spill occurs.


Absorbent Center

- Use as a deployment station or mobile spill control unit
- Fits up to a 38 inch roll and full bales of pads

• Stack two or three to make a cabinet, hang it on the wall, or place it under your workbench

Catalog #	Туре	Shipping Pallet SizeWt. (lbs)Qty.	Quantity
SC-3000	Absorbent center without casters	50 in. x 26 in. x 21.5 in.5015	1/each
SC-ACC	Accessory pack	Includes goggles, gloves, disposal bags with ties and an emergency handbook.	1 pack
SC-4	Set of 5 casters	- n/a n/a	1 pack
SC-MB	Wall mount	n/a n/a n/a	1 each





e e e e e e e e e e e e e e e e e e e	
Set Of Casters	Accessory

Wall Mount

Spill Control Cart

- 16 gauge welded steel cart with locking handle (2 keys)
- Convenient sturdy work surface with top surface 3 inch backstop and one fixed interior shelf
- Spill control cart ships empty. Select a cart fill option designed

to maximize space. Fill options include: (100) 15 in. x 19 in. pads, (8) pillows, (5) 3 in. x 4 ft. SOCs, (5) disposal bags, goggles, nitrile gloves

Catalog #	Туре	Size	Shipping Pallet Wt. (lbs)Qty.Qty.
SC-Cart	Spill control cart	36 in. x 18 in. x 38-3/8	180 1 1/each
SC-Cart-UF	Universal fill	in. 20 in. x 20 in. x 20 in.	31 8 1/each
SC-Car t-OF	Oil-only fill	20 in. x 20 in. x 20 in.	31 8 1/each
SC-Cart-HF	Chemical fill	20 in. x 20 in. x 20 in.	31 8 1/each



Spill Control Cabinet

- Durable construction and keyhole slots for wall hanging
- Includes two fully adjustable shelves and a clear window for easy content inventory
- Spill control cabinet ships empty. Select a cart fill option designed

to maximize space. Fill options include: (50) 15 in. x 19 in. pads, (6) pillows, (4) 3 in. x 4 ft. SOCs, (5) disposal bags, goggles, handbook, nitrile gloves

Catalog #	Туре	Size	Shipping Pallet Wt. (lbs)Qty.Qty.
SC-Cabinet	Cabinet	19-7/8 in. x 14-1/4 in. x 32-3/4	45 9 1/each
SC-Cabinet-UF	Universal fill	in. 20 in. x 20 in. x 20 in.	21 12 1/each
SC-Cabinet-OF	Oil-only fill	20 in. x 20 in. x 20 in.	21 12 1/each
SC-Cabinet-HF	Chemical fill	20 in. x 20 in. x 20 in.	21 12 1/each



* Absorbents sold separately.



Are you prepared? Absorbent programs should have both general maintenance absorbents and emergency spill response products on hand at all times for proper protection.



Emergency Response Spill Kits

Accidents happen, so it's better to be prepared. Brady SPC offers a complete selection of spill kits in a variety of types and sizes to equip you with everything you need to clean-up spills when they occur. Quickly and easily clean-up oils, solvents, coolants and other fluids. They are ideal for fast response to critical accidents.



Liquids absorbed

Universal	For oil, water-based and chemical liquids
Oil Only	For oil and petroleum-based liquids
Mixed (Includes universal and oil-only)	For indoor/outdoor use. Kits contain both all-purpose universal absorbents and water-repellent oil-only absorbents for petroleum and oil-based liquids
Chemical	For aggressive and hazardous liquids
BRIGHTSORB™ High-Visibility Safety Absorbents	For all liquids. Safety messaging signals to those in and around the spill containment area to exercise caution
Re-Form	Universal absorbents that are eco-friendly
TAA Compliant	Complies with the Trade Agreements Act

Where should spill kits be located?

Worker productivity and efficiencies can be improved dramatically by strategically placing spill kits or absorbent storage centers around the facility, closer to areas of need. For both emergency response and routine maintenance and safety, employees should not be wandering away from their workstation to the other side of the plant or tool room to find the absorbent materials they need.



Shipping docks



Freight vehicles



Plant floor



Maintenance areas

Trade Agreement (TAA) compliant kits

GSA Schedule Contracts are subject to the Trade Agreements Act (TAA), meaning all products listed on the GSA Schedule Contract must be manufactured or "substantially transformed" in a "designated country." The designated countries are comprised of:

- World Trade Organization government procurement agreement countries
- Free trade agreement countries
- Least developed countries and Caribbean basin countries

Spill Procedure Guide: What to do when a spill occurs

When a spill happens, time is of the essence to make sure quick and safe clean-up occurs. Here are some helpful hints to make sure you, your employees and the environment are protected.

1. Risk assessment

Evaluate the type of material spilled and identify the source. If you are NOT familiar with the liquid and its chemical properties, vacate the area and contact proper authorities.

2. Protective clothing

Wear the appropriate protective gear for the situation. If the source or the material is not identifiable, assume the worst.

3. Containment

Contain the liquid and seal drains.

4. Stop the source

Close valves, rotate punctured drums and plug leaks where it is possible and safe to do so.

5. Begin clean up

Use Brady SPC absorbents to absorb spilled liquids.

6. Contact authorities

Report the spill to proper legal authorities in your community. Be sure to fill out all necessary reports in accordance with local laws.

7. Disposal of used material

Absorbent materials take on the characteristics of whatever they absorb. Be sure to dispose of used absorbents and spilled liquids in accordance with local laws.

8. Decontaminate

Clean all tools and reusable materials properly before reuse.

9. Restock materials

Replace absorbent materials and safety equipment used in any clean-up operation.

10. Review contingency plans and procedures





Please note: Brady SPC spill kits are a stop-gap measure for minor spill clean-up. If a serious spill occurs, contact local authorities for direction and assistance for the problem. Due to the possible toxic and hazardous fluid absorbed, Brady does not recommend disposal procedures.




96

Small Spill Response Kits

These kits are portable and have a small foot print — perfect for placement throughout your facility. Include them in each work cell, maintenance area, laboratory and on storage carts to ensure you're prepared when a spill occurs.







MAXX[®] Packs

- Mini-packs in resealable zipper bags
- Kit dimensions: 15.5 in. x 19.5 in. x 20.5 in.

Contents: 20 pads (15 in. x 19 in.)

Catalog #	Туре	Absorbency Capacity (gal)	Shipping Pallet Wt. (lbs)Qty.	Qty.
MXP-U20	Universal	30	1424	5/case
MXP-020	Oil only	35	1524	5/case
MXP-C20	BRIGHTSORB chemical	30	1424	5/case

BASIC Spill Kits

- Small selection of pads, SOCs and PPE makes these kits a perfect option for work cells, vehicles and small spaces
- Kit contained in a resealable, clear plastic bag
- Kit dimensions: 4.5 in. x 15 in. x 18 in.

Contents:

SKO-BSC

• 10 pads (15 in. x 19 in.) • 2 SOCs (3 in. x 4 ft.)		• 1 disposal bag • 1 pair goggles	1 pair nitrile gloves1 instruction sheet	
Catalog #	Туре	Absorbency Capacity (gal)	Shipping Pallet) Wt. (lbs)Qty.	Qty.
SKA-BSC	* Universal	3	740	1/case

3

740

1/case

* **WARNING:** Cancer and Reproductive Harm www.P65Warnings.ca.gov



Attack Pac Spill Kit

*Oil only

- Space-saving, single-use kit, packed in puncture- and UV-resistant foil bag (includes grommet for hanging)
- Absorbs up to 7 gallons per kit
- Kit dimensions: 20 in. x 16 in. x 4 in.

Contents:


• 15 pads (15 in. x 19 in.) • 3 SOCs (3 in. x 4 ft.)	• 1 disposal bag • 1 pair goggles	 1 pair nitrile gloves 1 instruction sheet
---	--------------------------------------	---

Catalog #Type	Absorbency Capacity (gal)	Shipping Pallet Wt. (lbs)Qty.	Qty.
SKA-ATK Universal	7	36.5 24	4/case
SKA-ATK-TAA Universal TAA	7	36.5 24	4/case
SKO-ATKOil only	7	2324	4/case
SKH-ATK Chemical	7	2524	4/case
SKR-ATK Re-Form	7	36.5 24	4/case

Small

Small Spill Response Kits (cont.)









Economy Spill Kit

- Highly-visible, yellow PVC bag for small spills
- Absorbs up to 5 gallons per kit
- Kit dimensions: 20 in. x 16 in. x 4 in.

Contents:

- 10 pads (15 in. x 19 in.) 1 pair nitrile gloves
- 2 SOCs (3 in. x 4 ft.) 1 instruction sheet
- 1 disposal bag

Catalog #Type	Absorbency Capacity (gal)	Shipping Pallet Wt. (lbs)Qty.	Qty.
SKA-PP Universal	5	2420	5/case
SKA-PP-TAAUniversal TAA	5	2420	5/case
SKO-PPOil only	5	2420	5/case
SKCH-PPBRIGHTSORB chemical	5	2420	5/case
SKH-PP Chemical	5	2420	5/case
SKR-PP Re-Form	5	2420	5/case

Emergency Response Kit

- Ouickly assess the absorbents you have through the clear shoulder bag when you respond to the spill
- Absorbs up to 15 gallons per kit
- Kit dimensions: 25.5 in. x 17 in. x 21.5 in.

Contents:

• 32 pads (15 in. x 19 in.) • 2 disposal bags • 5 SOCs (3 in. x 4 ft.) • 1 pair goggles • 1 pillow (18 in. x 18 in.) • 1 pair nitrile gloves

1 instruction sheet

Catalog #	Туре	Absorbency Capacity (gal)	Shipping Pallet Wt. (lbs)Qty.	Qty.
SKA-CFB	Universal	15	2524	1/case
SKO-CFB	Oil only	15	2524	1/case
SKH-CFB	Chemical	15	2524	1/case

Emergency Spill Sak

- Portable economy spill kit packed in a reusable sack •
- Absorbs up to 10 gallons per kit
- Kit dimensions: 32 in. x 20 in. x 12 in.

Contents:

• 10 pads (15 in. x 19 in.) • 1 pillow (18 in. x 18 in.) • 1 pair nitrile gloves • 2 SOCs (3 in. x 12 ft.) • 1 disposal bag

1 instruction sheet

Catalog #	Туре	Absorbency Capacity (gal)	Shipping Pallet Wt. (lbs)Qty.	Qty.
SKA-SAK	Universal	10	1040	1/each
SKO-SAK	Oil only	10	1040	1/each
SKH-SAK	Chemical	10	1040	1/each



Small Spill Response Kits (cont.)



1 instruction sheet



2-Gallon Spill Response Plus Kit

- Small sized absorbents are versatile, durable and low linting
- Ideal for hospitality, retail, restaurants or anywhere that requires a small pad
- Absorbs up to 4.5 gallons per kit
- Kit dimensions: 9.75 in. x 10.5 in.

Contents:

- 20 pads (7.5 in. x 10 in.) • 1 pair of nitrile gloves • 1 disposable bag
 - 1 pair of goggles

Catalog #	Туре	Absorbency Capacity (gal)	Shipping Pallet Wt. (lbs)Qty.	Qty.
SKA-SRP	Universal	4.5	2.5 48	1/each
SKO-SRP	Oil only	4.5	2.5 48	1/each
SKH-SRP	Chemical	4.5	2.5 48	1/each



Mobile Spill Kaddie

• Mobile, compact emergency kit for fast spill response anywhere in the plant

• 5 disposal bags

- Absorbs up to 22 gallons per kit
- Kit dimensions: 18 in. x 17 in. x 39 in.

Contents:

- 1 roll (15 in. x 73 ft.) • 5 SOCs (3 in. x 4 ft.)
 - 1 pair goggles • 8 pillows (10 in. x 10 in.) • 1 pair nitrile gloves

 Emergency Response Guidebook

Catalog #	Туре	Absorbency Capacity (gal)	Shipping Pallet Wt. (lbs)Qty.	Qty.
SKA-K2	Universal	22	4210	1/each
SKO-K2	Oil only	22	4210	1/each
SKH-K2	Chemical	22	4210	1/each
SKA-K2R	Universal refill*	22	2520	1/each
SKO-K2R	Oil-only refill*	22	2520	1/each
SKH-K2R	Chemical refill*	22	2520	1/each

*Refills do not include the container.

Refills make restocking quick and easy

A critical step after a spill is cleaned up is to restock your spill kit in preparation for future spills. Many of Brady SPC's spill kits have refills available, making it easy for you to restock your spill kit with the appropriate products and quantities.



Small

Small Spill Response: Vehicle Spill Kits

Spills are common during transportation. Make sure your fleet is outfitted with the appropriate kit to quickly attend to any spill when en route.



Economy Vehicle Spill Kits

- Compact emergency kit for fast spill response
- Easily fits in your truck, cab or storage cubby
- Universal and oil-only products for mixed fluid applications
- Absorbs up to 7.75 gallons per kit

Contents:

1 putty pat

- 10 oil-only pads (15 in. x 19 in.)
- 10 universal pads (15 in. x 19 in.) • 2 SOCs (3 in. x 42 in.)
- 2 disposable bags

•	1	pair	of	go	ggl	es

1 pair of nitrile gloves

Catalog #	Туре	Absorbency Capacity (gal)	Shipping Pallet Wt. (lbs)Qty.	Qty.
BSCSK-CB	*Vehicle spill kit	7.75	750	1/each

MARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



Standard Vehicle Spill Kits

- Mobile, compact emergency kit for fast spill response
- Easily fits in your truck, cab or storage cubby
- Universal and oil-only products for mixed fluid applications
- Absorbs up to 11.5 gallons per kit

Contents:

 20 oil-only pads (15 in. x 19 in.)
• 10 universal pads (15 in. x 19 in.)

- 3 SOCs (3 in. x 42 in.)
- 1 pair of nitrile gloves • 1 pair of goggles

• 2 disposable bags

950

1/each

٠	1	putty pat	

outty pat				
alog #	Туре	Absorbency Capacity (gal)	Shipping Pallet Wt. (lbs)Qty.	Qty.

		J (Beer)
K-VEH Vehicle sp	l kit 11.	5

Poly-Edge[™] Mountable Spill Kit

- Slotted footprint makes mounting easy
- Constructed of lightweight 100% polyethylene that will not rust or corrode
- Water-resistant gasket keeps stored items dry
- Absorbs: up to 20 gallons per kit
- Kit dimensions: 35 in. x 16 in. x 16 in.

Contonte

	Absorbency	Shipping Pallet
 • 25 pads (15 in. x 19 in.) • 4 SOCs (3 in. x 12 ft.) • 1 drain cover 	• 1 putty pat • 2 disposable bags • 1 hazmat suit	 1 pair of goggles 1 pair of nitrile gloves 1 instruction sheet

Catalog #	Туре	Absorbency Capacity (gal)	Shipping Pal Wt. (lbs)Qty.	llet Qty.
SKA-TRK	Universal	20	4012	1/each
SKO-TRK	Oil only	20	4012	1/each





100

Small Spill Response: 6.5-Gallon Spill Kits

One of our most popular sized kits, these 6.5-gallon spill kits are the perfect size to combat common, smaller spills within your facility. The durable bucket protects your spill kit contents and allows for easy storage.





Available with BRIGHTSORB™ High-Visibility Absorbents

6.5-Gallon Spill Bucket

- Easily accessible spill kit in a reusable bucket for a fast response to small spills
- Absorbs up to 5 gallons per kit
- Kit dimensions: 14 in. x 18 in.

Contents:

contents:		
• 10 pads (15 in. x 19 in.) • 3 SOCs (3 in. x 4 ft.)	 2 disposal bags 1 pair nitrile gloves	• 1 instruction sheet

Catalog #Type	Absorbency Capacity (gal)	Shipping Pallet Wt. (lbs)Qty.Qty.
SKA-BKT Universal	5	9 36 1/each
SKA-BKT-TAAUniversal TAA	5	9 36 1/each
SKO-BKTOil only	5	9 36 1/each
SKCH-BKTBRIGHTSORB chemical	5	8 36 1/each
SKH-BKT Chemical	5	8 36 1/each



Bodily Fluid Spill Kit

- Assortment of pads, neutralizer, SOCs and the appropriate PPE will make cleaning up bodily fluids safer and more efficient
- Reusable screw-top bucket keeps contents clean and easily accessible
- Absorbs up to 4.5 gallons per kit

Kit dimensions: 14 in. x 18 in.

Contents:

• Granular (1 lb.) • 10 barrier-backed pads (15 in. x 19 in.) • 2 disposal bags	• 1 case sanitary wipes • 1 pair goggles • 1 pair neoprene gloves • 1 apron	 1 small scoop and scraper
	Absorbency	Shipping Pallet

Catalog #	Туре	Absorbency Shipping Pallet Cap. (gal)Wt. (lbs)Qty.Qty.
SK-BF	Bodily fluid spill kit	4.5 9 36 1/each

Small Specialty

Small Spill Response: Specialty Kits

These specialty 6.5-gallon spill kits are the perfect size to combat common, smaller spills within your facility. The durable bucket protects your spill kit contents and allows for easy storage.



Additional 2 lb. neutralizing shakers also available.

6.5-Gallon Acid/Base Neutralizer Spill Kit

- Used to solidify a wide range of spills
- Polymers will neutralize and change color to let you know neutralization has taken place. Acid neutralizer changes to purple, base neutralizer changes to orange.
- Absorbs up to 4.5 gallons per kit
- Kit dimensions: 14 in. x 18 in.

Contents:

- 1.5 gallon bucket • 2 SOCs (3 in. x 4 ft.) • • 1 neutralizer shaker (2 lb.) 2 disposal bags • 10 pads (15 in. x 19 in.) 1 pair goggles
- 1 pair nitrile gloves • 1 Tyvek Suit
- 1 small scoop

	Absorbency Shipping Pallet Cap. (gal)Wt. (lbs)Qty.Qty.
SKA-BKTACIDAcid neutralizing kit	4.5 16.5 36 1/each
SKA-BKTBASEBase neutralizer kit	4.5 16.5 36 1/each
SPC-ACIDAcid neutralizing polymer shaker only (2 lb.)	0.652 1,2001/each*
SPC-BASEBase neutralizing polymer shaker only (2 lb.)	0.652 1,2001/each*
*SPC-ACID and SPC-BASE shaker minimum order	of 12



Battery Acid Spill Kit

- Granular, neutralizer and the appropriate absorbents will help simplify the battery acid spill clean up process
- Reusable screw-top bucket keeps contents clean and easily accessible
- Absorbs up to 4.5 gallons per kit

Kit dimensions: 14 in. x 18 in.

Contents:

• Granular (1 lb.)

• 2 disposal bags • 1 neutralizer shaker (2 lb.) • 1 pair goggles

1 apron

- 1 faceshield • 1 small scoop
 - and scraper

- 2 SOCs (3 in. x 4 ft.)
- 10 pads (15 in. x 19 in.) 1 pair neoprene gloves •

Catalog #	Туре	Absorbency Shipping Pallet Cap. (gal)Wt. (lbs)Qty.Qty.
SK-BATT	Battery acid spill kit	4.5 9 36 1/each



Spill Kits and Containment

Small Spill Response: Specialty Kits (cont.)



4.5 9 36 1/each



Mercury Spill Kit

- Mercury powder is specifically designed to neutralize mercury spills. Then wipe clean with absorbent pads and scoop up any particles that remain.
- Reusable screw-top bucket keeps contents clean and easily accessible
- Absorbs up to 4.5 gallons per kit

Kit dimensions: 14 in. x 18 in.

Mercury spill kit

Contents:

SK-MERC

Catalog # Type	Absorbency Shipping Pallet Cap. (gal)Wt. (lbs)Qty.Qty.
 Mercury absorbent powd 10 pads (15 in. x 19 in.) 2 disposal bags 	r (2 lb.) • 1 pair goggles • 1 pair neoprene gloves • 1 small scoop and scraper



Formaldehyde Spill Kit

• Reusable screw-top bucket keeps contents clean and easily accessible

• Absorbs up to 4.5 gallons per kit

Kit dimensions: 14 in. x 18 in.

Contents:

- Granular (1 lb.)
- 1 acid neutralizer shaker (2 lb.) • 10 pads (15 in. x 19 in.)
- 2 disposal bags

- 1 pair goggles
- 1 pair neoprene gloves
- 1 respirator
- 1 small scoop and scraper

Catalog #	Туре	Absorbency Shipping Pallet Cap. (gal)Wt. (lbs)Qty.Qty.
SK-FORM	Formaldehyde spill kit	4.5 9 36 1/each

Spill Kit Tamper Proof Label

When a spill occurs, you need your spill kit to be fully intact. Use Brady SPC tamper proof labels to indicate if a spill kit has been opened and may need replacing.

Catalog #	Туре	Size	Qty.
TAMPER	Tamper proof label	3.5 in. x 5 in.	5/pack



Medium

Medium Spill Response: 20-Gallon Spill Kits

Easily deployable 20-gallon spill kits are perfect for medium-sized spills throughout your facility - particularly in areas with fluid transfer.





Available with BRIGHTSORB™ **High-Visibility Absorbents**





20-Gallon Lab Pack

• UN-approved water and chemical resistant polyethylene container with screw-top lid for medium response

• Absorbs up to 17 gallons per kit Kit dimensions: 21 in. x 18 in.

Contents: • 12 pads (15 in. x 19 in.) • 3 disposal bags • 3 SOCs (3 in. x 12 ft.)

• 1 pair goggles • 2 pillows (18 in. x 18 in.) • 1 pair nitrile gloves Emergency Response Guidebook

Catalog #	Туре	Absorbency Capacity (gal)	Shipping Pallet Wt. (lbs)Qty.	Qty.
SKA-20	Universal	17	2612	1/each
SKA-20-TAA	Universal TAA	17	2612	1/each
SKO-20	Oil only	17	2612	1/each
SKCH-20	BRIGHTSORB chemical	17	2612	1/each
SKH-20	Chemical	17	2612	1/each
SKA20-R	Universal refill*	17	1316	1/each
-SKO20-R	Oil-only refill*	17	1316	-1/each
SKH20-R	Chemical refill*	17	1316	1/each

*Refills do not include the container.

20-Gallon Mixed Application Spill Kit

• For response to both water- and petroleum-based spills

• Absorbs up to 17 gallons per kit Kit dimensions: 21 in. x 18 in.

Contents:

• 6 universal pads (15 in. x 19 in.) • 1 universal pillow (18 in. x 18 in.)

• 1 oil-only pillow (18 in. x 18 in.)

- 6 oil-only pads (15 in. x 19 in.)
- 3 disposal bags 1 pair goggles
- 1 pair nitrile gloves
- Emergency Response Guidebook

Catalog #	Туре	Absorbency Capacity (gal)	Shipping Pallet Wt. (lbs)Qty.	Qty.
SKMA-20	Mixed	17	2012	1/each

20-Gallon Rescue Spill Kit

• Included caution tape and a wet floor sign help prevent slips, trips and falls while a spill is being cleaned up

 Absorbs up to 17 gallons per kit Kit dimensions: 21 in. x 18 in.

Contents:

• 12 pads (15 in. x 19 in.) 1 pair goggles • 3 SOCs (3 in. x 12 ft.) • 1 pair nitrile gloves • • 2 pillows (18 in. x 18 in.) 1 roll caution tape (3 in. x 200 ft.) 3 disposal bags

• 1 wet floor sign (18 in.) • Emergency Response Guidebook

Catalog #	Туре	Absorbency Capacity (gal)	Shipping Pallet Wt. (lbs)Qty.	Qty.
SKA-20-RESCUE	Universal	17	2012	1/each
SKO-20-RESCUE	Oil only	17	2012	1/each
SKH-20-RESCUE	Chemical	17	2012	1/each





Medium Spill Response: 30-Gallon Spill Kits

Looking for something a little larger? Look no further than the 30-gallon kit. Absorbing up to 36 gallons, these kits are perfect for medium-sized spills. Store throughout your facility – particularly in areas where fluid transfer is prevalent.



 Emergency Response Guidebook



30-Gallon Spill Kit

- UN-approved water- and chemical-resistant polyethylene container with screw-top lid
- Kit refills are available for easy re-stocking after a spill
- Absorbs up to 29 gallons per kit Kit dimensions: 21.125 in. x 28.5 in.

Contente

ontento.	
• 25 pads (15 in. x 19 in.)	• 3 disposal bags
• 6 SOCs (3 in. x 12 ft.)	 1 pair goggles
• 6 pillows (9 in. x 9 in.)	 1 pair of nitrile g

- gloves

Catalog #	Туре	Absorbency Capacity (gal)	Shipping Pallet Wt. (lbs)Qty.	Qty.
SKA30	Universal	29	4112	1/each
SKA30TA	Universal TAA	29	4112	1/each
A	Oil only	29	4112	1/each
SKO30	Chemical	29	4112	1/each
SKH30	Universal refill*	29	2812	1/each
SKA30-R	Oil-only refill*	29	2612	1/each
SKO30-R	Chemical refill*	29	2812	1/each
SKH30-R				

*Refills do not include the container.



30-Gallon Mixed Application Spill Kit

- A single spill kit to respond to both water- and petroleum-based spills
- Absorbs up to 29 gallons per kit
- Kit dimensions: 21.125 in. x 28.5 in.

Contents:

• 15 universal pads (15 in. x 19 in.)

• 3 universal pillows (18 in. x 18 in.)

3 oil-only SOCs (3 in. x 12 ft.)

- 15 oil-only pads (15 in. x 19 in.) • 3 universal SOCs (3 in. x 12 ft.)
 - 3 disposal bags
 - 1 pair goggles
 - 1 pair nitrile gloves
 - Emergency Response Guidebook

• 3 oil-only pillows (18 in. x 18 in.)

Catalog #	Туре	Absorbency Capacity (gal)	Shipping Pallet Wt. (lbs)Qty.	Qty.
SKMA-30	Mixed	29	4112	1/each

Medium

Medium Spill Response: 55-Gallon Spill Kits

55-gallon spill kits are essential in any facility. Keep them near entrances and exits for emergency deployment to prevent facility spills from entering the environment.





Available with BRIGHTSORB™ **High-Visibility Absorbents**

55-Gallon 🛛	Drum
-------------	------

- Lever-locked 55-gallon drum meets UN specifications and is ideal for medium spills
- Kit refills are available for easy re-stocking after a spill
- Absorbs up to 38 gallons per kit
- Kit dimensions: 24 in. x 37 in.

Wheeled kit dimensions: 23 in. Dia. x 37 in.

Contents:

• 50 pads (15 in. x 19 in.)	 5 disposal bags
• 4 SOCs (3 in. x 12 ft.)	 1 pair goggles
• 8 pillows (18 in. x 18 in.)	 1 pair nitrile gloves

• Emergency Response Guidebook

Catalog #	Туре	Absorbency Capacity (gal)	Shipping Pallet Wt. (lbs)Qty.	Qty.
SKA55	Universal	38	578	1/eac
SKA55-TAA	Universal TAA	38	568	h
SKO55	Oil only	38	568	1/eac
SKCH-55	BRIGHTSORB chemical	38	528	h
SKH55	Chemical	38	528	1/eac
SKA55W	Universal w/ wheels	38	578	h 1/eac
SKH55W	Oil only w/ wheels Chemical w/ wheels	38	568	h
-38113374	Chemical W/ Wheels	38	528	1/eac
SKA55-R	Universal refill*	38	378	h
SK055-R	Oil-only refill*	38	378	1/eac
SKH55-R	Chemical refill*		378	h
*Refills do not	include the container.			1/eac h

1/eac

h

h

55-Gallon Mixed Application Spill Kit 1/eac

- A single spill kit to respond to spills of water-based h and petroleum-based spills 1/eac ĥ • Absorbs up to 46 gallons per kit 1/eac
- Kit dimensions: 24 in. x 37 in.
- Wheeled kit dimensions: 23 in. Dia. x 37 in.

Contents:

- 25 universal pads (15 in. x 19 in.) • 4 oil-only pillows (18 in. x 18 in.) • 25 oil-only pads (15 in. x 19 in.) • 5 disposal bags • 2 universal SOCs (3 in. x 12 ft.) • 1 pair goggles • 2 oil-only SOCs (3 in. x 12 ft.)
 - 1 pair nitrile gloves
 - 4 universal pillows (18 in. x 18 in.) • Emergency Response Guidebook

Catalog #Type	Absorbency Capacity (gal)	Shipping Pallet Wt. (lbs)Qty.	Qty.
SKMA-55 Mixed	46	528	1/each
SKMA-55WMixed w/ wheels	46	528	1/each



106





Large

Large Spill Response: 65-Gallon Spill Kits

If you require a larger spill kit but don't have a lot of space, the 65-gallon kit is the perfect solution. These kits have almost double the absorbents of a 55-gallon kit without doubling in size.



65-Gallon Spill Kit

- UN-approved water- and chemical-resistant polyethylene overpack drum with screw-top lid is reusable and meets **DOT** specifications
- Kit refills are available for easy re-stocking after a spill
- Absorbs up to 63 gallons per kit
- Kit dimensions: 31 in. x 33.5 in.

Wheeled kit dimensions: 31 in. x 42 in.

Contents:

	• 100 pads (15 in. x 19 in.) • 7 SOCs (3 in. x 12 ft.) • 7 pillows (18 in. x 18 in.)		 5 disposal bags 1 pair goggles 1 pair of nitrile gloves 		• Emergency Response Guidebook	
	Catalog #	Туре		Absorbency Capacity (gal)	Shipping Pallet Wt. (lbs)Qty.	Qt
1	SKA65	Universal		63	1003	1/6

SKA65	Universal	63	1003	1/eac
SKA65TA	Universal TAA	63	1003	h
A	Oil only	63	1003	1/eac
SK065	Chemical	63	1003	h
SKH65	Universal w/	10	4.0.0.0	1/eac
	Oniversat w/	63	1003	h
SKA65W	wheels	63	1003	- 11
SKO65W	wheels	63	1003	1/eac
SKH65W	Oil only w/ wheels	03	1003	h
	Chemical w/	63	403	<u> </u>
SKA65-R				1/eac
	wheels Universal	63	403	
SKO65-R		63	403	<u>h</u>
SKH65-R	refill*			1/eac
*Refills do no	t include the container.			h
				1/eac

Chemical refill*

h

1/eac

1/eac

h

65-Gallon Mixed Application Spill Kit h 1/eac ĥ

- A single spill kit to respond to both water-based and petroleum-based spills
- Absorbs up to 65 gallons per kit
- Kit dimensions: 31 in. x 33.5 in.

Wheeled kit dimensions: 31 in. x 42 in.

Contents:

- 50 universal pads (15 in. x 19 in.)
- 50 oil-only pads (15 in. x 19 in.) • 4 universal SOCs (3 in. x 12 ft.)

• 4 universal pillows (18 in. x 18 in.)

- 5 disposal bags
 - 1 pair goggles
 - 1 pair nitrile gloves
 - Emergency Response Guidebook

• 3 oil-only pillows (18 in. x 18 in.)

Catalog #Type	Absorbency Capacity (gal)	Shipping Pallet Wt. (lbs)Qty.	Qty.
SKMA-65 Mixed	65	1003	1/each
SKMA-65WMixed w/ wheels	65	1003	1/each





Small Medium

Large Spill Response: 95-Gallon Spill Kits

95-gallon kits will keep you prepared for almost any spill. Keep these in areas where the likelihood of larger spills is greatest.





Available with BRIGHTSORB™ High-Visibility Absorbents

95-Gallon Overpack

- UN-approved water- and chemical-resistant polyethylene overpack drum with screw-top lid is reusable and meets DOT specifications
- Refill kits are available for easy re-stocking after a spill
- Absorbs up to 75 gallons per kit
- Kit dimensions: 31.5 in. x 35 in.

Wheeled kit dimensions: 31.5 in. x 47 in.

Contents:

• 110 pads (15 in. x 19 in.) • 12 SOCs (3 in. x 4 ft.) • 8 SOCs (3 in. x 12 ft.)		 8 pillows (18 in. x 18 in.) 10 disposal bags 1 pair goggles 		• 1 pair nitrile gloves • Emergency Response Guidebook	
Catalog #	Туре		Absorbency Capacity (gal)	Shipping Palle Wt. (lbs)Qty.	t Qty
SKA-95	Universal		75	1072	1/ea
SKO-95	Oil only		75	1072	h
SKCH-95	BRIGHTSORB	chemical	75	1042	1/ea

SKO-95	Oil only	75	1072	h
SKCH-95	BRIGHTSORB chemical	75	1042	1/eac
SKH-95	Chemical	75	1042	h
SKA-95W	Universal w/ wheels		4050	1/eac
5104 7511	oniversat wy wheels	75	1072	
SKO-95W	Oil only w/ wheels	75	1072	h
		75	1072	1/eac
_SKH-95W	Chemical w/ wheels	75	1042	
				h
SKA95-R	Universal refill*	75	603	
		/5	603	1/eac
SKO95-R	Oil-only refill*	75	603	
	01	75	005	
<u>SKH95-R</u>	Chemical refill*			<u>h</u>
				1/eac
				h
	tinaluda tha containar			

*Refills do not include the container.

1/eac h

1/eac

h

h

95-Gallon Mixed Application Spill Kit

- A single spill kit to respond to both water-based and h petroleum-based spills
- Absorbs up to 77 gallons per kit
- Kit dimensions: 31.5 in. x 35 in.
- Wheeled kit dimensions: 31.5 in. x 47 in.

Contents:

- 55 universal pads (15 in. x 19 in.)
- 55 oil-only pads (15 in. x 19 in.)
- 6 universal SOCs (3 in. x 4 ft.)
 6 oil-only SOCs (3 in. x 4 ft.)
- 4 universal SOCs (3 in. x12 ft.)
- 4 oil-only SOCs (3 in. x 12 ft.)
- 4 universal pillows (18 in. x 18 in.)4 oil-only pillows (18 in. x 18 in.)
- 10 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emergency Response Guidebook

Catalog #Type	Absorbency Capacity (gal)	Shipping Pallet Wt. (lbs)Qty.	Qty.
SKMA-95 Mixed	77	1072	1/each
SKMA-95WMixed w/ wheels	77	1072	1/each





108

Spill Kits and Containment

X-Large Spill Response: Mobile Spill Trucks

In the event of a substantial spill, keep your facility prepared. Mobile spill trucks are filled with all of the essentials you'll need for major spill clean-up.





Mobile Spill Truck - Large

- Wheel-mounted polyethylene bins are chemical and water resistant. Spill trucks provide the highest level of readiness
- Absorbs up to 169 gallons per kit.
- Kit dimensions: 47 in. x 34 in. x 43 in.

Contents of SKA-LT,

- SKH-LT and SKO-LT:
- 200 pads (15 in. x 19 in.)
- 24 SOCs (3 in. x 4 ft.)
- 12 SOCs (3 in. x 12 ft.)
- 8 pillows (17 in. x 19 in.)
- 15 disposal bags
- 1 pair goggles
- 3 pair nitrile gloves
 - Emergency Response Guidebook

Contents of

- SKM-LT Marine Kit:
- 400 pads (15 in. x 19 in.)
- 4 booms (5 in. x 10 ft.)
- 1 sweep (19 in. x 100 ft.)
- 15 disposal bags
- 6 pairs of nitrile gloves
- 1 pair goggles
 - Emergency Response Guidebook

Catalog #	Туре	Absorbency Capacity (gal)	Shipping Pallet Wt. (lbs)Qty.Qty.
SKA-LT	Universal	134	164 1 1/each
SKO-LT	Oil only	126	185 1 1/each
SKM-LT	Marine	169	164 1 1/each



Mobile Spill Truck - X-Large

- Mobile spill response kit in a water- and chemical-resistant large bin
- Absorbs up to 282 gallons per kit
- Kit dimensions: 57.5 in. x 40.5 in. x 47 in.

Contents of SKA-XLT,

- SKH-XLT and SKO-XLT: • 250 pads (15 in. x 19 in.)
- 36 SOCs (3 in. x 4 ft.)
- 20 SOCs (3 in. x 12 ft.)
- 20 SOCS (3 In. x 12 ft.) • 8 pillows (18 in. x 18 in.)
- 8 pillows (18 in. x 1
 30 disposal bags
- 30 disposal bags
 3 pairs of nitrile gloves
- 1 pair goggles
 - Emergency Response Guidebook
- Shipping P Wt. (lbs)Qty. Absorbency Pallet Catalog # Capacity (gal) Туре Qty. SKA-XLT Universal 184 1/each 2211 SKO-XLT Oil only 174 2211 1/each SKM-XLT 1/each Marine 282 2581

Contents of

SKM-XLT Marine Kit:

• 600 pads (15 in. x 19 in.)

• 1 sweeps (19 in. x 100 ft.)

• Emergency Response Guidebook

• 8 booms (5 in. x 10 ft.)

• 6 pairs of nitrile gloves

• 15 disposal bags

1 pair goggles

Facility Safety Products

Brady offers a complete line of products and solutions to keep your facility safe, productive and compliant. Products including cones, warning tapes and signs help to communicate important safety and facility messages.



Heavy-Duty Floor Stands

- Alert employees and visitors of potential floor hazards
- Made of heavy-duty polypropylene
- Wording appears on both panels

Catalog #	Legend	Height
104809	Wet Floor	24.5
104810	Caution	in.
104811	Closed	24.5
104808	Blank	in.
		24.5

in. 24.5



Reversible Floor Stands • Alert employees and visitors of potential floor hazards

• Made of lightweight corrugated polypropylene material

Catalog #Legend	Size
92280Slippery when	12 in. x 20 in.
_wet/wet floor	(closed)



Traffic Cones and Snap-On Signs

- Flexible, durable warning cone in a high visibility fluorescent orange color
- Plastic snap-on signs are designed to fit on top of traffic cone like a paperclip

Catalog #Description

80111 18 in. Orange vinyl cone

8011810.5 in. x 12.75 in. black on orange wet floor snap-on sign



Reinforced Barricade Tape

- Provides fast, on-the-spot war ning
- 250 lbs tensile strength


Catalog #	Legend	Size Qty. 3 in. x
91100	A COLUMN	500 ft. 1 roll 3 in. x
91102	approach in the state	500 ft.1 roll 3 in. x
91104		500 ft.1 roll



BradyLink Warning Posts • Non-conductive, non-rusting, fillable domed base

• Post dimension: 3 in. dia. x 41 in. post, 16 in. base

Catalog #	Description	Color
92116	Black large post	Black
92117	White large post	White
92118	Yellow large post	Yello
		W



BradyLink Warning Chain

- Polyethylene chain designed to prevent kinking
- Chain links used to permanently attach or repair lengths of chain

Catalog #	Description
78241	100 ft. Orange chain
78239	100 ft. White chain
78238	100 ft. Yellow chain
78246	2 in. Chain links (36/package)



110

Chemical Application Guide

Universal

- **Polypropylene Products:**
- Battlemat[®] Absorbents UXT Absorbents
- HT Absorbents
- MRO Plus® Absorbents
- GP Absorbents
- Basic Universal Absorbents •
- SIR and BSM Mats
- AllWIK® SOCs and Pillows
- Cobra Coil® SOCs

Chemical	Jniversal	oil only	chemical	Drganic
	X	0	X	X
Acetaldehyde	X		X	~
Acetic Acid	X		X	
Acetic Anhydride	X	Х	X	Х
Acetone	X	~	X	~
Acetyl Chloride Acrolein	X	x	X	
Acr ylonitrile	X		X	V
	X		X	X
Allyl Alcohol Aminobenzoic Acid	X		X	Х
Ammonia (Anhydrous)	X	V	X	Х
	X	X X	X	
Ammonium Hydroxide Amyl Acetate	X		X	Х
Amyl Alcohol	X	Х	X	Х
	X		X	
Aniline				X
Antifreeze	Х		Х	Х
Aqua Regia	X		Х	
Aqueous Ammonia	Х		X	
Aviation Fuel	Х	Х	Х	Х
Benzene	Х	Х	Х	Х
Benzoic Acid	Х		Х	_
Benzonitrile	Х		Х	_
Benzoyl Chloride	Х		Х	
Benzyl Alcohol	Х		Х	Х
Boric Acid	Х		Х	X
Brake Fluid	Х	Х	Х	^
Bromine	Х		Х	_
Butyl Acetate	Х	Х	Х	
Butyl Alcohol	X	Х	Х	Х
Butylamine	Х		Х	Х
Butyric Acid	Х	Х	Х	
Calcium Hydroxide	X X		X X	_
Carbolic Acid			X	_
Carbon Disulfide	X X	X		
Carbon Tetrachloride	X X	X X	X X	Х
Castor Oil	X	~	X	Х
Chlorine Water			X	
Chloroacetic Acid	X X			_
Chlorobenzene			X	
Chloroform	Х	Х	X	Х
Chromic Acid (50%)	Х		Х	_
Chlorosulfonic Acid	Х		Х	_
Citric Acid	Х		Х	
Clorox (Full Strength)	Х		Х	Х
Corn Oil	Х	Х	Х	Х
Cottonseed Oil	Х	Х	Х	Х
Cresol	Х	Х	X	Х
Cyclohexane	X	Х	X	Х
Detergents	Х		Х	Х

Oil-Only Polypropylene Products:

- Oil-only SOCs and Pillows
- Trackmat Absorbents
- SXT[®] Oil Absorbents
- Oil Plus Absorbents

- SPC® Oil Absorbents
- ENV® Oil Absorbents • Basic Oil-only Absorbents
- Static Resistant Absorbents

- BRIGHTSORB[™] High
- Visibility Absorbents Chemical Absorbents
- Universal Plus Absorbents
- HAZWIK SOCs and Pillows

Organic Eco-Friendly Products:

- Re-Form[™] Absorbents • Re-Form Plus Absorbents
- Re-Form XPlus Absorbents
- Re-Form Oil-only Absorbents
- MULTIWIK® and SLIKWIK® SOCs •
- SPC Granular
- Re-Form Granular
- Rag Rug Absorbents

Chemical	Jniversal	oil only	chemical	Drganic
Dichlorobenzene	X	X	Х	
Diethylamine	X	X	X	_
Diethyl Ether	X	X	X	Х
Disooctyl Phthalate	X	X	X	X
Dinitrobenezene	X	X	X	^
Dioxan	X	~	X	Х
	X		X	^
Electrolyte Fluid Ether	X	V	X	Х
	_	X		X
Ethyl Acetate	X	Х	X	
Ethyl Alcohol	Х	Х	Х	Х
Ethyl Benzene	Х	Х	Х	_
Ethyl Chloride	Х	Х	Х	
Ethyl Ether	Х	Х	Х	Х
Ethyl Propionate	Х	Х	Х	Х
Ethylene Glycol	Х		Х	Х
Flouorosilicic Acid	Х		Х	
For maldehyde	Х		Х	Х
Formic Acid	Х		Х	
Fuel Oil	Х	Х	Х	Х
Gasoline	Х	Х	Х	Х
Gearbox Oil	Х	Х	Х	Х
Glacial Acetic Acid	Х		Х	
Glycerol	Х		Х	Х
Heptane	Х	Х	Х	Х
Hexane	Х	Х	Х	Х
Hydrazine	Х		Х	
Hydrochloric Acid	Х		Х	
Hydrofluoric Acid	Х		Х	
Hydrogen Cyanide	Х	Х	Х	
Hydrogen Peroxide	Х		Х	Х
Isobutyl Alcohol	Х	Х	Х	X
Isobutyric Acid	Х	Х	Х	
Isopropyl Acetate	Х	X	Х	Х
Isopropyl Alcohol	X	X	Х	X
Kerosene	X	X	X	X
Keytones	X	X	X	X
Linseed Oil	X	X	X	X
Lubricating Oil	X	X	X	X
Magnesium Hydroxide	X	~	X	^
Methyl Alcohol	X	Х	X	Х
Methyl Chloride	X	X	X	^
Methyl Ether	X	X	X	X
	X		X	Х
Methyl Ethyl Ketone	X	Х	X X	Х
Methyl Propionate		Х		Х
Mineral Oil	Х	Х	Х	Х
Motor Oil	Х	Х	Х	Х
Naphthalene	X	Х	Х	Х
Nitric Acid	Х		Х	

	Iniversal	il only		ırganic
Chemical	2	•	U С	0
Nitrobenzene	Х		Х	
Nitrobenzoic Acid	Х		Х	
Nitrotoluene	Х	Х	Х	Х
Octane	Х	Х	Х	Х
Oleic Acid	Х	Х	Х	
Olive Oil	Х	Х	Х	Х
Paraffin	Х	Х	Х	Х
Perchloroethylene	Х	Х	Х	Х
Petroleum Ether	Х	Х	Х	Х
Phenol	Х		Х	Х
Phosphoric Acid	Х		Х	
Plating Solutions	Х		Х	
Potassium Hydroxide	Х		Х	
Propanol	Х		Х	Х
Propionic Acid	Х	Х	Х	
Propyl Alcohol	Х	Х	Х	Х
Propylene Glycol	Х	Х	Х	X
Quinoline	X	~	X	~
Resorcinol	X		X	
Salt Solutions	X		X	Х
(metallic) Silicone Oil	X	Х	X	X
Silver Nitrate	X	^	X	X
Soap Solution				^
(concentrated)	Х	Х	Х	Х
Sodium Bicarbonate	Х		Х	Х
Sodium Bisulfite	Х		Х	
Sodium Chloride	Х		Х	Х
Sodium Hydroxide	Х		Х	N
Sodium Hypochlorite	Х		Х	X
Sodium Nitrate	Х		Х	X
Stannic Chloride	Х		Х	х
Starch	Х		Х	X
Styrene	Х	Х	Х	Х
Sucrose	Х		Х	
Sulfuric Acid	Х		Х	Х
Synthetic Motor Oil	Х	Х	Х	
Tannic Acid	Х		Х	X
Toluene	Х	Х	Х	X
Transformer Oil	Х	X	Х	X
Trichloroethylene	Х	X	Х	X
Triethylene Glycol	X	X	X	X
Turpentine	X	X	X	X
Urine	X	~	X	X
Vinyl Acetate	X	V	X	Х
Vinegar	X	Х	X	X
Xylene	X	X	X	
	~	Х	~	

Disclaimer: The above information is provided as a guide only. No claims or warranties are expressed or implied as to the absolute accuracy of the data supplied. In all cases it is assumed chemicals in question are at ambient temperatures and pressure and are used in basic state, not in combination or mixtures. Small test samplings by user is always recommended to ensure safe application.

Catalog #	Description	Size Perforated	Absorb. Factor (gl/gs)	Absorb. Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity	Page
96229	Spill Magnet	12 in. dia	-	-	1	100	1/each	89
AD15100	TOUGHSORB Adhesive Mats	15 in. x 100 ft.No	8	11	15	40	1/case	66
AD15100-BLUE	TOUGHSORB Adhesive Mats	15 in. x 100 ft.No	8	11	15	40	1/case	66
AD30100	TOUGHSORB Adhesive Mats	30 in. x 100 ft.No	8	21	29	20	1/case	66
AD30100-BLUE	TOUGHSORB Adhesive Mats	30 in. x 100 ft.No	8	21	29	20	1/case	66
AW99	Universal Pillow	9 in. x 9 in	12.5	14	10	40	32/case	-61
AW124	ALLWIK Universal SOC	3 in. x 12 ft	9	12	12	40	-4/case	
AW412	ALLWIK Universal SOC	- 3 in. x 4 ft	- 9	12	12	36	12/case	-59
AW430	ALLWIK Universal SOC	- 3 in. x 4 ft	9				- 30/case -	
AW806	ALLWIK Universal SOC	<u>3 in. x 8 ft</u>	9	12	12		6/case	
AW1818	Universal Pillow	<u>18 in. x 18 in</u>	12.5	28	19		16/case	-61
BM15	BattleMat Universal Roll	15 in. x 150 ft.Yes	12.5					24
BM30	BattleMat Universal Roll	30 in. x 150 ft.Yes		<u> </u>	<u> </u>		1/case	24
BPH100	BASIC Chemical Pad	15 in, x 17 in.Yes		20	8.5		100/bale	53
BPH200	BASIC Chemical Pad	15 in, x 17 in, Yes		34	<u> </u>	24	200/bale	53
BPH500	BASIC Chemical Pad	15 in. x 17 in.Yes		<u>17</u>	7		100/bale	53
BP0100	BASIC Oil-only Pad	15 in. x 17 in.Yes	18	20.5	, 8.5	30	100/bale	41
BP0200	BASIC Oil-only Pad	15 in. x 17 in.Yes	18	34	14	24	200/bale	41
BP0500	BASIC Oil-only Pad	15 in. x 17 in.Yes	18	<u>34</u> 17	<u>14</u> 7	36	100/bale	41
BPU100	BASIC Universal Pad	15 in. x 17 in.Yes	18	20.5	8.5	<u> </u>	100/bale	23
BPU200	BASIC Universal Pad	15 in. x 17 in.Yes	18	34	13.7	24	200/bale	23
BPU500	BASIC Universal Pad	15 in. x 17 in.Yes					100/bale	23
BRH150	BASIC Chemical Roll	30 in. x 150 ft.Yes	18	17	7	36	1/bale	53
BRH150 BRH152	BASIC Chemical Roll	15 in. x 150 ft.Yes	18	38	19.5	18	2/bale	53
BR0150	BASIC Oil-only Roll	30 in. x 150 ft.Yes	18	38	19.5	18	1/bale	41
BR0150 BR0152	BASIC Oil-only Roll	15 in. x 150 ft.Yes	14.5	38	19.5	18	2/bale	41
BRU150	BASIC Universal Roll	30 in. x 150 ft.Yes	14.5	38	19.5	18	· · ·	
BRU150 BRU152	BASIC Universal Roll	15 in. x 150 ft.Yes	14.5	38	19.5	18	1/bale 2/bale	23
BSC20	BASIC Universal SOC	3 in. x 3.5 ft	14.5	38	19.5	18	·	
BSC20 BSC40	BASIC Universal SOC		15	40.5	24	24	20/case	59 59
		3 in. x 3.5 ft	15	84	47.5	12	40/case	
BSCSK-CB	Vehicle Spill Kit		-	7.75	7	50	1/each	100
BSM100	Barrier Spill Mat	36 in. x 100 ft.No	8	25	24	20	1/bale	67
CB305	Containment Boom	3 in. float, 4.5 in. skirt, 25 ft. sections	-	-	22.5	11	1/case	76
CB612	Containment Boom	6 in. float, 12 in. skirt, 100 ft. sections	-	-	200	3	1/case	76
CC400	Cobra Coil Universal SOC	3 in. x 4 ft	8.5	8.5	29	48	12/case	59
CH15P	BRIGHTSORB Safety Roll	15 in. x 150 ft.Yes	12.5	20	14	24	1/case	-51
CH30DP	BRIGHTSORB Safety Roll	30 in. x 150 ft.Yes	12.5	40	25	12	1/case	51
CH100	BRIGHTSORB Safety Pad	15 in. x 19 in.Yes	18	28	16	30	100/case	-51
CH124	BRIGHTSORB Safety SOC	3 in. x 12 ft	9	12	12	40	4/case	60
CH200	BRIGHTSORB Safety Pad	15 in. x 19 in.Yes	18	28	16	22	200/case	-51
CH303	BRIGHTSORB Safety Roll	30 in. x 300 ft.Yes	12.5	70	40	8	1/bale	-51
CH412	BRIGHTSORB Safety SOC	<u>3 in. x 4 ft</u>	9	12	12	40	12/case	-60
CH1212	BRIGHTSORB Chemical Pad	<u>12 in. x 12 in.Yes</u>	12.5			30	200/case	
CH1212-50	BRIGHTSORB Chemical Pad	12 in. x 12 in.Yes	12.5			72	50/case	51
CH1818	BRIGHTSORB Safety Pillow	18 in. x 18 in	12.5	14				61
CHBB15	BRIGHTSORB Barrier-Backed Mat	15 in. x 100 ft.No	11.7		11	-24	1/bale	68
CHBB15	BRIGHTSORB Barrier-Backed Mat	15 in. x 100 ft.No		13	11	24	1/bale	68
CHBB30	BRIGHTSORB Barrier-Backed Mat	30 in. x 100 ft.No		27	22	12	1/bale	68
CHBB30	BRIGHTSORB Barrier-Backed Mat	30 in. x 100 ft.No		27	22		1/bale	68
CHBB100	BRIGHTSORB Barrier-Backed Mat	15 in. x 19 in.No	11.7	21		30	100/case	68
CHBB100	BRIGHTSORB Barrier-Backed Mat	15 in. x 19 in.No	11.7	21	15.8	30	100/case	68
DGUARD9	Drain Guard	36 in. x 48 in. x 18 in		0.9	1.15.0	36	1/case	89
DGUARD14	Drain Guard	36 in. x 48 in. x 18 in	_	1.4	2	36	1/case	89
DGUARD910	Drain Guard	36 in. x 48 in. x 18 in	-				10/case	89
			-	9	10	20		
DGUARD1410	Drain Guard	36 in. x 48 in. x 18 in	-	14	20	20	10/case	89

S BRADY

In an effort to reduce shipping costs for our customers, pallet quantities may vary.

DISCLAIMER: The above properties are "nominal" values used for process control when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. The "absorbency" spec and "SPCTM004" test method are based on the protocol of ASTM F726, using SAE20 non-detergent as the oil type, medium viscosity.

Catalog #	Description	Size	Perforated	Absorb. Factor (gl/gs)	Absorb. Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity	Page
DRIP1720-B	Drip Pad	17 in. x 20 in.	-	-	-	2	-	1/each	90
DRIP1720-Y	Drip Pad	17 in. x 20 in.	-	-	-	2	-	1/each	90
DPA24	Drip Pan	10 in. x 10 in.	-	-	-	6	20	24/case	90
DTA25	Oil-only Drum Cover	22 in. dia.		12.5	6	6	60	25/case	62
DTO25	Oil-only Drum Cover	22 in. dia.	-	12.5	6	6	60	25/case	62
DZ100	Universal Granular	40 lbs	-	1	8.5	1,600	40	1 pallet	-86
ENV50	ENV Oil-only Pad	30 in. x 30 in.	No	20	50	19	14	50/bale	-43-
ENV100	ENV Oil-only Pad	<u>15 in. x 19 in.</u>	No	20	33	12.5	30	100/bale	-43-
ENV150	ENV Oil-only Roll	30 in. x 150 ft.	No	15	44	- 22	18	1/bale	-43-
ENV200	ENV Oil-only Pad	15 in. x 19 in.	No	23	51		-24	200/bale	43
ENV300	ENV Oil-only Pad	15 in. x 19 in.	No		23.2			100/bale	43
ENV500	ENV Oil-only Pad	15 in. x 19 in.	No	-23	24.5			100/bale	43
ENV510	Booms	5 in. x 10 ft.		12.6	32			4/bale	
ENV810	Booms	8 in. x 10 ft.	-				12	4/bale	75
FW181804-Y	Spill Berm	18 in. x 18 in. x 4 in.				5	2	1/each	92
FW242404-Y	Spill Berm	24 in. x 24 in. x 4 in.	-			9	2.4	1/each	92
FW363604-Y	Spill Berm	36 in. x 36 in. x 4 in.	-			20	3.8	1/each	92
FW484804-Y	Spill Berm	48 in. x 48 in. x 4 in.	-	_		36	5.5	1/each	92
FW486004-Y	Spill Berm	48 in. x 60 in. x 4 in.	-	-	-	45	6.4	1/each	92
FW487204-Y	Spill Berm	48 in. x 72 in. x 4 in.	-	-	-	54	7.4	1/each	92
GP30	GP Universal Roll	30 in. x 150 ft.	No	13	48	28	12	1/bale	21
GP100	GP Universal Pad	15 in. x 19 in.	Yes	20	30	11.5	30	100/case	21
GP200	GP Universal Pad	15 in. x 19 in.	Yes	20	44	16	22	200/case	21
GP300	GP Universal Pad	15 in. x 19 in.	Yes	20	25	10	30	100/bale	21
GP500	GP Universal Pad	15 in. x 19 in.	Yes	20	23	8.2	30	100/case	21
HAZ99	Chemical Pillows	9 in. x 9 in.	-	12.5	14	10	40	32/case	61
HAZ124	Chemical SOCs	3 in. x 12 ft.		9	14	10	40	4/case	60
HAZ412	Chemical SOCs	3 in. x 4 ft.	-	9	12	12	36	12/case	60
HAZ1818	Chemical Pillows	18 in. x 18 in.		12.5	28	12	15	16/case	61
HT15	HT Universal Roll	15 in. x 150 ft.	Yes	12.5	23	19	24	1/case	25
HT30	HT Universal Roll	30 in. x 150 ft.	Yes	12.5	47	32	12	1/case	25
HT153	HT Universal Roll	15 in. x 300 ft.	Yes				12	1/bale	25
HT215	HT Universal Roll	15 in. x 300 ft.	Yes	12.5	32	20 15		1/bale	25
HT215	HT Universal Roll	30 in. x 300 ft.	Yes	12.5		-	16	1/bale	25
HT230 HT303		30 in. x 300 ft.	Yes	12.5	42.5	29.5	8	1/bale	25
HT350	HT Universal Roll HT Universal Roll	30 in. x 150 ft.	Yes	12.5	63	40	8		25
				12.5	35	20	12	1/bale	
HT555	HT Universal Roll	15 in. x 150 ft.	Yes	12.5	23	16	24	1/case	25
HTBB15	HT Barrier-backed Mat	15 in. x 100 ft.	No	10.1	12	10	24	1/bale	-69-
HTBB30	HT Barrier-backed Mat	30 in. x 100 ft.	No	10.1	23	20	12	1/bale	-69-
HTBB100	HT Barrier-backed Mat	15 in. x 19 in.	No	10.1	18	14.8	30	100/case	-69-
LROD101012	Spill Berm	10 ft. x 10 ft. x 12 in.		-	-	675	42	1/each	-92
-LROD101512	Spill Berm	<u> </u>		-	-	1,010	57	1/each	-92-
LROD102012	Spill Berm	10 ft. x 20 ft. x 12 in.		-	-	1,350	73	1/each	
LROD151512	Spill Berm	15 ft. x 15 ft. x 12 in.		-	-	1,520	78	1/each	<u>_92</u> _
LROD202012	Spill Berm	20 ft. x 20 ft. x 12 in.		-		2,695_	125	1/each	92
MRO15	MRO Plus Universal Roll	15 in. x 150 ft.	No	12.5		17.5	-24	1/case	<u> 19 </u>
MRO15-DP	MRO Plus Universal Roll	15 in. x 150 ft.	Yes	12.5	24	17.5	-24	1/case	19
MRO15P	MRO Plus Universal Roll	15 in. x 150 ft.	Yes	12.5	24	17.5	24	1/case	19
MRO30	MRO Plus Universal Roll	30 in. x 150 ft.	No	12.5	49	33	12	1/case	19
MRO30-DP	MRO Plus Universal Roll	30 in. x 150 ft.	Yes	12.5	49	32	12	1/case	19
MRO30P	MRO Plus Universal Roll	30 in. x 150 ft.	Yes	12.5	49	32	12	1/case	19
MRO50	MRO Plus Universal Pad	30 in. x 30 in.	Yes	12.5	41	26.5	11	50/case	19
MR0100	MRO Plus Universal Pad	15 in. x 19 in.	Yes	12.5	26	17.5	30	100/case	19
MR0100-2	MRO Plus Universal Pad	15 in. x 19 in.	Yes	12.5	13.5	8	36	50/bale	19
MRO150DND	MRO Plus Universal Pad	15 in. x 19 in.	Yes	12.5	39	27	18	150/case	19

Catalog #	Description	Size Perforated	Absorb. Factor (gl/gs)	Absorb. Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity Page
MRO215P	MRO Plus Universal Roll	15 in. x 150 ft.Yes	12.5	12	8	24	1/bale 19
MRO300	MRO Plus Universal Pad	15 in. x 19 in.Yes	12.5	20.5	14	30	100/case 19
MRO315P	MRO Plus Universal Roll	15 in. x 150 ft.Yes	12.5	20	14	24	1/case 19
MRO350-DP	MRO Plus Universal Roll	30 in. x 150 ft.Yes	12.5	38	26.5	12	1/case 19
1\$50	Re-Form Universal SOC	3 in. x 4 ft	7	40	43	10	40/case 59
4S-124	Re-Form Universal SOC		8.5	12	12	36	4/case 59
4S-412	Re-Form Universal SOC	3 in. x 4 ft	8.5			- 36	12/case 59
4 S-806	Re-Form Universal SOC		8.5	12		30	<u></u>
4X01000	ENV Oil-only Pad	15 in. x 19 in.Yes		26			- <u>100/case 43</u>
4XP-C20	BRIGHTSORB Spill Kit	<u>15.5 in. x 19.5 in. x 20.5 in</u>			<u>14</u>	24	<u> </u>
4XP-020	MAXX Pack	15.5 in. x 19.5 in. x 20.5 in		<u> </u>	14 	-24	<u> </u>
4XP-U20	MAXX Pack	15.5 in. x 19.5 in. x 20.5 in	_	<u> </u>	13 14	24 	<u> </u>
MXU1000	GP Universal Pad	15 in. x 19 in. Yes			4 8		100/case 21
DN08	Drag Net	30 nets on 50 ft, rope-			-		1/bale 76
)IL99	Oil-only Pillow	9 in. x 9 in			<u> </u>		32/case 61
DIL124	Oil-only SOC	3 in. x 12 ft	12.5	14		40	4/case 60
			9	12		40	
DIL412	Oil-only SOC	3 in. x 4 ft	9	12	11	36	12/case 60
DIL430	Oil-only SOC	3 in. x 4 ft	9	28		15	30/case 60
DIL806	Oil-only SOC	3 in. x 8 ft	9	12	11	30	6/case 60
DIL1818	Oil-only Pillow	18 in. x 18 in	12.5	28	19	15	16/case 61
DN030	Oil Net	30 nets (no rope)-	15	15	17	24	1/bale 76
DP15	Oil Plus Roll	15 in. x 150 ft.No	12.5	24	17.5	24	1/case 37
DP15P	Oil Plus Roll	15 in. x 150 ft.Yes	12.5	24	17.5	24	1/case 37
DP15-DP	Oil Plus Roll	15 in. x 150 ft.Yes	12.5	24	17.5	24	1/case 37
DP30	Oil Plus Roll	30 in. x 150 ft.No	12.5	49	33	12	1/case 37
DP30-DP	Oil Plus Roll	30 in. x 150 ft.Yes	12.5	49	33	12	1/case 37
DP30P	Oil Plus Roll	30 in. x 150 ft.Yes	12.5	49	33	12	1/case 37
DP50	Oil Plus Pad	30 in. x 30 in.Yes	12.5	41	24	11	50/case 37
OP100	Oil Plus Pad	15 in. x 19 in.Yes	12.5	26	17.5	30	100/case 37
OP150DND	Oil Plus Pad	15 in. x 19 in.Yes	12.5	39	27	18	150/case 37
DP300	Oil Plus Pad	15 in. x 19 in.Yes	12.5	20.5	14	30	100/case 37
DP315P	Oil Plus Roll	15 in. x 150 ft.Yes		19	14	24	1/case 37
DP350-DP	Oil Plus Roll	30 in. x 150 ft.Yes	12.5				1/case 37
PLUG2	Drain Plug	2 in	12.5	38	26.5	12	1/case 37
PLUG2	Drain Plug	3 in	-	-	2	50	
LUG3 LUG4	0	4 in	-	-	3	50	1/case 89
	Drain Plug		-	-	4	50	1/case 89
PLUG6	Drain Plug	6 in	-	-	6	50	1/case 89
VC18	Slikstopper	18 in. x 18 in	-	-	9	80	1/case 89
VC24	Slikstopper	24 in. x 24 in	-	-	14	40	1/case 89
VC36	- Slikstopper	36 in. x 36 in	-	-	34	35	<u>1/case 89</u>
VC42	Slikstopper	42 in. x 42 in	-	-	46	20	1/case 89
RAG1818	Rag Rug Mat	18 in. x 18 in.No	9		32	-24	50/case 72
RAG24150	Rag Rug Mat	24 in. x 150No	9	37		12	<u> </u>
RAG36150	Rag Rug Mat	36 in. x 150 ft.No	9			6	<u> </u>
RF100	Re-Form Universal Pad	15 in. x 19 in.No	17.5			-18-	_100/case 32
RF300	Re-Form Universal Pad	15 in. x 19 in.No	17.5	32		-24	100/case 32
RE500	Re-Form Universal Pad	15 in. x 19 in.No	17.5	24	12		100/case 32
RFDP300	Re-Form Universal Pad	16 in. x 18 in.Yes	16.5	32	<u> </u>	24	100/case 30
REDP328-DP	Re-Form Universal Roll	28.5 in. x 150 ft.Yes	16.5	55	<u> </u>	8	1/case 30
RFGRANULAR	Re-Form Granular	30 lbs	1	16.7		65	1 pallet86
RF0412	Re-Form Oil-only SOC	3 in. x 4 ft	13.5	10./	<u> 1,950 </u> 10.5	36	12/case 60
RFODP100	Re-Form Oil-only Pad	15 in. x 19 in.Yes			10.5	36 18	100/case 46
RFP100	Re-Form Universal Pad	15 in. x 19 in.Yes	30	39			100/case 40
			17	40	19.5	18	
RFP300	Re-Form Universal Pad	15 in. x 19 in.Yes	17	32	16	24	100/case 31



114



In an effort to reduce shipping costs for our customers, pallet quantities may vary.

DISCLAIMER: The above properties are "nominal" values used for process control when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. The "absorbency" spec and "SPCTM004" test method are based on the protocol of ASTM F726, using SAE20 non-detergent as the oil type, medium viscosity.

Catalog #Description	Absorb. Absorb. Shipping SizePerforatedFactor Capacity Wt. Pallet (gl/gs) (gal)(lbs)Qty.	Quantity	Page
RFP314PRe-Form Universal Roll	14.25 in. x 150 ft.Yes173015.520	1/case	31
RFP328-DPRe-Form Universal Roll	28.5 in. x 150 ft.Yes175430.58	1/case	-31
RFP500Re-Form Universal Pad	15 in. x 19 in.Yes172412.730	100/case	31
RFPP100Re-Form Universal Pad	15 in. x 19 in. Yes12.52617.530	100/case	-29
SB-1226Vehicle Spill Berm	12 ft. x 26 ft. x 1 ft112	1/each	-92
SB-1236Vehicle Spill Berm	12 ft. x 36 ft. x 1 ft149	1/each	-92
SC-4Absorbent Center		1 pack	-93
SC-3000Absorbent Center	50 in. x 26 in. x 21-1/2 in5015	-1/each	
SC-ACCAbsorbent Center Accessory Kit	Includes goggles, gloves, disposal bags with ties and emergency handbook.	<u> </u>	<u> </u>
SC-CartSpill Control Cart		1/each	<u> </u>
SC-Cart-HFSpill Control Cart	36 x 18 x 38-3/81801	1/each	<u>93</u>
SC-Cart-OFSpill Control Cart	20 in. x 20 in. x 20 in 318	1/each	
	20 in. x 20 in. x 20 in318	,	
SC-Cart-UFSpill Control Cart	20 in. x 20 in. x 20 in318	1/each	93
SC-CabinetSpill Control Cabinet	19-7/8 x 14-1/4x 32-3/4459	1/each	93
SC-Cabinet-HESpill Control Cabinet	20 in. x 20 in. x 12 in2112	1/each	93
SC-Cabinet-OFSpill Control Cabinet	20 in. x 20 in. x 12 in2112	1/each	93
SC-Cabinet-UFSpill Control Cabinet	20 in. x 20 in. x 12 in2112	1/each	93
SC-DP2Spill Pallet	26 in. x 52 in. x 17 in681,10046.510	1/each	91
SC-DP4Spill Pallet	52 in. x 52 in. x 17 in1282,2008910	1/each	91
SC-DPRSpill Pallet	32.5 in. x 70 in65047.53	1/each	91
SC-MBAbsorbent Center		1 each	93
SC-SD2Spill Deck	26 in. x 52 in. x 6 in21.22,5003115	1/each	91
SF-5BOOMSpillFix Granular Boom	4 in. x 5 ft4.561648	4/case	85
SF-7SpillFix Granular		1 pallet	85
SF-10BOOMSpillFix Granular Boom	7 lbs4.52900124	2/case	85
•	4 in. x 10 ft4.562048		85
SF-20SpillFix Granular	20 lbs4.5799548	1 pallet	
SF-JARSpillFix Granular	3 qt40.75365288	1 pallet	85
SF-JAR-CSSpillFix Granular	3 qt40.757-	6/case	85
SIR36SIR Sorbent Industrial Rug	36 in. x 300 ft.No12.5595012	1/bale	71
SIR36150SIR Sorbent Industrial Rug	36 in. x 150 ft.No12.529.52518	1/bale	71
SK-VEHVehicle Spill Kit	11.5 9 50	1/each	100
SKA-2020-Gallon Lab Pack	21 in. dia. x 18 in172612	1/each	104
SKA20-R20-Gallon Lab Pack	17 13 16	1/each	104
SKA-20-RESCUE20-Gallon Rescue Spill Kit	21 in. dia. x 18 in172012	1/each	104
SKA-20-TAA 20-Gallon Lab Pack	21 in. dia. x 18 in172612	1/each	104
SKA3030-Gallon Spill Kit	21.125 in. dia. x 28.5 in294112	1/each	105
SKA30-R30-Gallon Spill Kit	29 28 12	1/each	105
SKA30-TAA30-Gallon Spill Kit	21.125 in. dia. x 28.5 in294112	1/each	105
SKA5555-Gallon Drum	24 in. dia. x 37 in38578	1/each	106
SKA55-R55-Gallon Drum		1/each	
SKA55-TAA55-Gallon Drum		<u> </u>	-106
SKA55-TAA55-Gallon Drum	24 in. dia. x 37 in38568	1/each	<u> 106 </u>
	23 in. dia. x 37 in38578	,	
SKA6565-Gallon Mixed Drum	31 in. dia. x 33.5 in631003		<u> 107 </u>
SKA65-R65-Gallon Mixed Drum	63 40 3	1/each	107
SKA65TAA65-Gallon Mixed Drum	31 in. dia. x 33.5 in631003	1/each	107
SKA65W65-Gallon Mixed Drum	31 in. dia. x 42 in631003	1/each	107
SKA-9595-Gallon Overpack	31.5 in. dia. x 35 in751072	1/each	108
SKA95-R95-Gallon Overpack	75 60 3	1/each	108
SKA-95W95-Gallon Overpack	31.5 in. dia. x 47 in751072	1/each	108
SKA-ATKAttack Pak Spill Kit	20 in. x 16 in. x 4 in736.524	4/case	97
SKA-ATK-TAAAttack Pak Spill Kit	20 in. x 16 in. x 4 in736.524	4/case	97
SKA-BKT6.5-Gallon Spill Bucket	14 in. dia. x 18 in5936	1/each	101
	14 in. dia. x 18 in4.516.536	1/each	102
SKA-BKTACIDAcid Neutralizing Kit			

Catalog #Description	Size	Perforated	Absorb. Factor (gl/gs)	Absorb. Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity	Page
SKA-BKT-TAA6.5-Gallon Spill Bucket	14 in. dia. x 18 in.	-	-	5	9	36	1/each	101
SKA-BSCBASIC Spill Kit	4.5 in. x 15 in. x 18 in.	-	-	3	7	40	1/case	97
SKA-CFBEmergency Response Kit	25.5 in. x 17 in. x 21.5 in.	-	-	15	25	24	1/case	98
SKA-K2Mobile Spill Kaddie	18 in. x 17 in. x 39 in.	-	-	22	42	10	1/each	- 99
SKA-K2RMobile Spill Kaddie		-	-	22	25	20	1/each	- 99
SKA-LTMobile Spill Truck	47 in. x 34 in. x 43 in.	-	-	134	164	1	1/each	109
SKA-PPEconomy Spill Kit	20 in. x 16 in. x 4 in.		-		24	20	4/case	98
SKA-PP-TAAEconomy Spill Kit	20 in. x 16 in. x 4 in.		-	5	24	20	-4/case	- 98
SKA-TRKPoly-Edge Mountable Spill Kit	35 in. x 16 in. x 16 in.		-	20	40	12	1/each	100
SKA-SAKEmergency Spill Sak	32 in. x 20 in. x 12 in.	-		10		40	1/each	- 98
SKA-SRPSpill Response Plus Spill Kit	9.75 in. dia. x 10.5 in.			4.5	2.5	48	1/each	- 99
SKA-XLTMobile Spill Truck	57.5 in. x 40.5 in. x 47 in.						1/each	109
SK-BATTBattery Acid Spill Kit	14 in. dia. x 18 in.	-		4.5	9	36	1/each	102
SK-BFBodily Fluid Spill Kit	14 in. dia. x 18 in.	-		4.5	9		1/each	101
SKCH-20BRIGHTSORB Spill Kit	21 in. dia. x 18 in.	-		17	26	12	1/each	82
SKCH-55BRIGHTSORB Spill Kit	24 in. dia. x 37 in.	-			<u> </u>	8	1/each	82
SKCH-95BRIGHTSORB Spill Kit	31.5 in. dia. x 35 in.	-	-	75	104	2	1/each	82
SKCH-BKTBRIGHTSORB Spill Kit	14 in. dia. x 18 in.	-	-	5	8	36	1/each	82
SKCH-PPBRIGHTSORB Spill Kit	20 in. x 16 in. x 4 in.	-		5	5	20	4/case	81
SK-FORMFormaldehyde Spill Kit	14 in. dia. x 18 in.	-		4.5	9	36	1/each	103
SKH-2020-Gallon Lab Pack	21 in. dia. x 18 in.	-		<u>4.5</u> 17	26	12	1/each	104
SKH20-R20-Gallon Lab Pack	-	-		17	13	16	1/each	104
SKH-20-RESCUE20-Gallon Rescue Spill Kit	21 in. dia. x 18 in.		-	17	20	12	1/each	104
SKH3030-Gallon Spill Kit	21.125 in. dia. x 28.5 in.		-			12	1/each	104
SKH30-R30-Gallon Spill Kit	-	-	-	29	41		1/each	105
SKH5555-Gallon Drum	24 in. dia. x 37 in.		-	29	28	12	1/each	105
SKH55-R55-Gallon Drum	-	-	-	38	52	8	1/each	100
SKH55W55-Gallon Drum	- 23 in. dia. x 37 in.		-	38	37	8	1/each	106
SKH6565-Gallon Mixed Drum	31 in. dia. x 33.5 in.		-	38	52	8		100
SKH65-R65-Gallon Mixed Drum			-	63	100	3	1/each 1/each	107
			•	63	40	3		
SKH65W65-Gallon Mixed Drum	31 in. dia. x 42 in.		-	63	100	3	1/each	107
SKH-9595-Gallon Overpack	31.5 in. dia. x 35 in.	-	-	75	104	2	1/each	108
SKH95-R95-Gallon Overpack	-	-	-	75	60	3	1/each	108
SKH-95W95-Gallon Overpack	31.5 in. dia. x 47 in.	-	-	75	104	2	1/each	108
SKH-ATKAttack Pak Spill Kit	20 in. x 16 in. x 4 in.	-	-	7	25	24	4/case	97
SKH-BKT6.5-Gallon Spill Bucket	14 in. dia. x 18 in.	-	-	5	8	36	1/each	101
SKH-CFBEmergency Response Kit	25.5 in. x 17 in. x 21.5 in.	-	-	15	25	24	1/case	98
SKH-K2Mobile Spill Kaddie	18 in. x 17 in. x 39 in.	-	-	22	42	10	1/each	-99
SKH-K2RMobile Spill Kaddie	-	-	-	22	25	20	1/each	- 99
SKH-PPEconomy Spill Kit	20 in. x 16 in. x 4 in.		-	5	24	20	-4/case	- 98
SKH-SAKEmergency Spill Sak	32 in. x 20 in. x 12 in.	<u>-</u>	-	10	10	40	1/each	- 98
SKH-SRPSpill Response Plus Spill Kit	9.75 in. dia. x 10.5 in.		-	4.5	2.5	48	1/each	- 99
SK-MERCMercury Spill Kit	14 in. dia. x 18 in.		-	4.5		36	1/each	103
SKM-LTMobile Spill Truck	47 in. x 34 in. x 43 in.		-	169		-1	1/each	109
SKM-XLTMobile Spill Truck	57.5 in. x 40.5 in. x 47 in.			282	258	-1	_1/each	109
SKMA-2020-Gallon Lab Pack	21 in. dia. x 18 in.			17	20	12	1/each	104
SKMA-3030-Gallon Spill Kit	21.125 in. dia. x 28.5 in.	-		29	41		1/each	105
SKMA-5555-Gallon Drum	24 in. dia. x 37 in.	-	_	46	52	8	1/each	106
SKMA-55W55-Gallon Drum	23 in. dia. x 37 in.			46	52	8	1/each	106
SKMA-6565-Gallon Mixed Drum	31 in. dia. x 33.5 in.	-		65		3	1/each	107
SKMA-65W65-Gallon Mixed Drum	31 in. dia. x 42 in.	-	-	65	100	3	1/each	107
SKMA-9595-Gallon Overpack	31.5 in. dia. x 35 in.	-	-	77	107	2	1/each	108
SKMA-95W95-Gallon Overpack	31.5 in. dia. x 47 in.	-	-	77	107	2	1/each	108
SKO-2020-Gallon Lab Pack	21 in. dia. x 18 in.	_		17	26	12	1/each	104



In an effort to reduce shipping costs for our customers, pallet quantities may vary.

DISCLAIMER: The above properties are "nominal" values used for process control when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. The "absorbency" spec and "SPCTM004" test method are based on the protocol of ASTM F726, using SAE20 non-detergent as the oil type, medium viscosity.

116

Catalog #Description	Size	Perforated	Absorb. Factor (gl/gs)	Absorb. Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity	Page
SKO20-R20-Gallon Lab Pack	-	-	-	17	13	16	1/each	104
SKO-20-RESCUE20-Gallon Rescue Spill Kit	21 in. dia. x 18 in.	-	-	17	20	12	1/each	104
SKO3030-Gallon Spill Kit	21.125 in. dia. x 28.5 in.	-	-	29	41	12	1/each	105
SKO30-R30-Gallon Spill Kit	-	-	-	29	26	12	1/each	105
SKO5555-Gallon Drum	24 in. dia. x 37 in.	· ·	-	38	56	8	1/each	106
SKO55-R55-Gallon Drum			-	38	37	8	1/each	106
-SKO55W55-Gallon Drum	23 in. dia. x 37 in.	-	-	38	56	8	1/each	106
-SKO6565-Gallon Mixed Drum	31 in. dia. x 33.5 in.		-	63	100	3	1/each	-107
-SKO65-R65-Gallon Mixed Drum			-	63	40	3	1/each	-107
SKO65W65-Gallon Mixed Drum	31 in. dia. x 42 in.		-	63	100		1/each	_107
-SKO-9595-Gallon Overpack	31.5 in. dia. x 35 in.		-	75	107	2	1/each	108
SK095-R95-Gallon Overpack	-		-				1/each	_108
SKO-95W95-Gallon Overpack	31.5 in. dia. x 47 in.				107		1/each	108
SKO-ATKAttack Pak Spill Kit	20 in. x 16 in. x 4 in.	-		7	23	24	4/case	97
SKO-BKT6.5-Gallon Spill Bucket	14 in, dia, x 18 in,	-	_		0		1/each	101
_SKO-BSCBASIC Spill Kit	4.5 in. x 15 in. x 18 in.	-	-	3	7	40	1/case	97
SKO-CFBEmergency Response Kit	25.5 in. x 17 in. x 21.5 in.	-	_	15	25	24	1/case	98
SKO-K2Mobile Spill Kaddie	18 in. x 17 in. x 39 in.	-		22	42	<u></u> 24 10	1/each	99
SKO-K2RMobile Spill Kaddie	-	-		22	<u>42</u>	20	1/each	99
SKO-LTMobile Spill Truck	47 in. x 34 in. x 43 in.			126	25 185	1	1/each	109
SKO-PPEconomy Spill Kit	20 in. x 16 in. x 4 in.		-	5	24		4/case	98
SKO-TRKPoly-Edge Mountable Spill Kit	35 in. x 16 in. x 16 in.					20	1/each	100
	32 in. x 20 in. x 12 in.		-	20	40	12		98
SKO-SAKEmergency Spill Sak SKO-SRPSpill Response Plus Spill Kit	9.75 in. dia. x 10.5 in.	-	-	10	10	40	1/each 1/each	98
<u> </u>			-	4.5	2.5	48		
SKO-XLTMobile Spill Truck	57.5 in. x 40.5 in. x 47 in. 20 in. x 16 in. x 4 in.	-	-	174	221	1	1/each	109 97
SKR-ATKAttack Pak Spill Kit		-	•	7	36.5	24	4/case	
SKR-PPEconomy Spill Kit	20 in. x 16 in. x 4 in.	-	-	5	24	20	4/case	98
SPC10Marine Pillow	14 in. x 25 in.	-	12.5	52	30	10	10/bale	76
SPC50SPC Oil-only Pad	33 in. x 39 in.	No	18	73	33.5	10	50/bale	39
SPC100SPC Oil-only Pad	15 in. x 19 in.	Yes	18	35	14	30	100/bale	39
SPC105SPC Oil-only Pad	15 in. x 19 in.	Yes	18	24	14	30	100/bale	39
SPC150SPC Oil-only Roll	38 in. x 144 ft.	No	15	70	33	18	1/bale	39
SPC152SPC Oil-only Roll	19 in. x 144 ft.	No	15	70	33	18	2/bale	39
SPC200SPC Oil-only Pad	15 in. x 19 in.	Yes	18	51	16	24	200/bale	39
SPC300SPC Oil-only Pad	15 in. x 19 in.	Yes	18	30	11	30	100/bale	39
SPC500SPC Oil-only Pad	15 in. x 19 in.	Yes	18	20	8.2	36	100/bale	- 39
SPC510 Booms	5 in. x 10 ft.	-	12.6	32	19	20	4/bale	75
SPC518 Booms	5 in. x 18 in.	-	12.6	12	8	36	10/bale	-75-
SPC810 Booms	8 in. x 10 ft.	•	13.3	71	40	12	4/bale	-75-
SPC818 Booms	8 in. x 18 in.		12.5	28	17	16	10/bale	-75-
SPC1900Marine Sweep	<u> </u>		15	26	13	30	1/bale	
-SPC5510 Booms	5 in. x 10 ft.	-	12.1	32		-20	4/bale	
-SPC-ACIDAcid Neutralizer				0.65	2	1,200	1/each	
SPC-BASEBase Neutralizer	2 lbs.	-		0.65	2	1,200	1/each	86
SPCUN810 Booms	8 in. x 10 ft.				<u>19</u>		4/bale	
SPCUN510 Booms	5 in, x 10 ft.		<u> </u>	32			4/bale	75
SPCUN1019Universal Plus Chemical Roll	15 in. x 150 ft.	Yes	<u> </u>	<u>39</u>	24	12	2/case	52
SPCUN1113Universal Plus Chemical Pad	12 in. x 12 in.	No	12.5	20		30	200/case	
SPCUN1719Universal Plus Chemical Pad	15 in. x 19 in.	Yes	<u> </u>	20.5	10	30	100/case	
SPCUN3800Universal Plus Chemical Roll	30 in. x 150 ft.	Yes				<u>30</u> 12	1/case	52
SR100Static Resistant Oil Pad	15 in. x 19 in.	No	12.5	39			100/bale	44
SR100Static Resistant Oil Paul	30 in. x 150 ft.		13	26	14.5	30	1/bale	44
		No No	15	44	22	18		
SR3625Static Resistant Oil Pad	30 in. x 30 in.	No	13	16	9	14	25/bale	27
SRP75PSpill Response Plus Universal Roll	7.5 in. x 50 ft.	Yes	12.5	3.3	1.85	60	1/bale	27

Catalog #	Description	Size	Perforated	Absorb. Factor (gl/gs)	Absorb. Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity Page
SRP100	Spill Response Plus Universal Pad	7.5 in. x 10 in.	No	12.5	5.5	4	96	100/case 27
SRP200	Spill Response Plus Universal Pad	7.5 in. x 10 in.	No	12.5	11.1	7.5	48	200/case 27
SRPH75P	Spill Response Plus Chemical Roll	7.5 in. x 50 ft.	Yes	12.5	3.3	1.85	60	1/bale 54
SRPH100	Spill Response Plus Chemical Pad	7.5 in. x 10 in.	No	12.5	5.5	4	96	100/case 54
SRPH200	Spill Response Plus Chemical Pad	7.5 in. x 10 in.	No	12.5	11.1	7.5	48	200/case 54
SRP075P	Spill Response Plus Oil Roll	7.5 in. x 50 ft.	Yes	12.5	3.3	1.85	60	1/bale 45
SRPO100	Spill Response Plus Oil Pad	7.5 in. x 10 in.	No	12.5	5.5		96	100/case 45
SRPO200	Spill Response Plus Oil Pad	7.5 in. x 10 in.	No	12.5	11.1	7.5	48	- 200/case 45
SW46	SLIKWIK Universal SOC	3 in. x 3.5 ft.		3	20	50	16	40/case 59
SXT15P	SXT Oil-only Roll	15 in. x 150 ft.	Yes	12			-24	<u>1/case 42</u>
SXT30DP	SXT Oil-only Roll		Yes	12	37	26.5	12	1/case 42
SXT100	SXT Oil-only Pad	15 in. x 19 in.	Yes	12	19.5			100/case 42
SXT200	SXT Oil-only Pad	15 in. x 19 in.	Yes	12	31.5			200/case 42
SXT300	SXT Oil-only Pad	15 in. x 19 in.	Yes	12	17			100/case 42
TAMPER	Tamper Proof Label	3.5 in. x 5 in.		_	_		_	5/pack 103
TM19	TrackMat Matting	19 in. x 80 ft.	No	9	26	32		2/bale 70
TM29	TrackMat Matting	29 in. x 80 ft.	No	9	20	24	18	1/bale 70
TM58	TrackMat Matting	58 in. x 80 ft.	No	9	55	34	9	1/bale 70
UXT15P	UXT Xtra Tough Universal Roll	15 in. x 150 ft.	Yes	11	17	14.5	24	1/case 26
UXT30DP	UXT Xtra Tough Universal Roll	30 in. x 150 ft.	Yes	11	37	27.5	12	1/case 26
UXT100	UXT Xtra Tough Universal Pad	15 in. x 19 in.	Yes	11	19.5	14.5	30	100/case 26
UXT200	UXT Xtra Tough Universal Pad	15 in. x 19 in.	Yes	11	31.5	18.5	22	200/case 26
UXT300	UXT Xtra Tough Universal Pad	15 in. x 19 in.	Yes	11	17	12	30	100/case 26

118



In an effort to reduce shipping costs for our customers, pallet quantities may vary.

DISCLAIMER: The above properties are "nominal" values used for process control when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. The "absorbency" spec and "SPCTM004" test method are based on the protocol of ASTM F726, using SAE20 non-detergent as the oil type, medium viscosity.

Product Index

20-Gallon Lab Pack	104
20-Gallon Rescue Spill Kit	104
30-Gallon Spill Kit	105
55-Gallon Drum	106
6.5-Gallon Spill Bucket	101
65-Gallon Mixed Drum	107
95-Gallon Overpack	108

A

Absorbent Center	93
Acid Neutralizer	86
Acid Neutralizing Kit	102
ALLWIK Universal SOC	59
Attack Pak Spill Kit	97

В

Barrier Spill Mat	67
Base Neutralizer	
Base Neutralizer Kit	
BASIC Chemical Pad	
BASIC Chemical Paul	
BASIC Oil-Only Pad	
BASIC Oil-Only Roll	
BASIC Spill Kit	97
BASIC Universal Pad	
BASIC Universal Roll	
BASIC Universal SOC	
Battery Acid Spill Kit	
BattleMat Universal Roll	
Berms	
Bodily Fluid Spill Kit	101
Booms	
BRIGHTSORB Barrier-Backed Mat	68
BRIGHTSORB Chemical Pad	51
BRIGHTSORB Chemical Pillow	61
BRIGHTSORB Chemical Roll	51
BRIGHTSORB Chemical SOC	60
BRIGHTSORB Safety Pad	79
BRIGHTSORB Safety Pillow	
BRIGHTSORB Safety Roll	
BRIGHTSORB Safety SOC	
BRIGHTSORB Spill Kit	

С

Chemical Absorbency	47
Chemical Pads and Rolls	49
Chemical Pillows	61
Chemical SOCs	60
Cobra Coil Universal SOC	59
Containment Boom	76

D

Drag Net Drain Guard Drain Plug Drip Pad Drip Pan	89 89 90 90
Drum Covers	

Ε

Economy Spill Kit	
Emergency Response Kit	
Emergency Spill Sak	98
ENV Oil-Only Pad	43
ENV Oil-Only Roll	43

F

G

GP Universal Pad22	1
GP Universal Roll22	1
Granular83	6

Н

HT Barrier-backed Mat	69
HT Universal Roll	25

Μ

Marine Boom	75
Marine Pillow	76
Marine Sweep	76
Mats	63
MAXX Pack	97
Mercury Spill Kit	103
Mobile Spill Kaddie	99
Mobile Spill Truck	109
MRO Plus Universal Pad	19
MRO Plus Universal Roll	19

Ν

```
Neutralizers ......86
```

0

Oil Net	76
Oil Plus Pad	37
Oil Plus Roll	37
Oil-Only Absorbency	33
Oil-Only Drum Cover	62
Oil-Only Pads and Rolls	35
Oil-Only Pillow	61
Oil-Only SOC	60

Ρ

Pillows	61
Poly-Edge Mountable Spill Kit	100

R

Rag Rug Mat	72
Re-Form Granular	86
Re-Form Oil-Only Pad	46
Re-Form Oil-Only SOC	60

Re-Form Universal Pad	29
Re-Form Universal Roll	30
Re-Form Universal SOC	59
Rugs	63

S

Safety Absorbents	77
SIR Sorbent Industrial Rug	71
Slikstopper	89
SLIKWIK Universal SOC	59
SOCs	55
SPC Oil-Only Pad	
SPC Oil-Only Roll	
SPCC Plan	6
Spill Berm	92
Spill Containment	87
Spill Control Cabinet	93
Spill Control Cart	93
Spill Deck	91
Spill Kits	95
Spill Magnet	89
Spill Pallet	91
Spill Procedure Guide	96
Spill Response Plus Chemical Pad	54
Spill Response Plus Chemical Roll	54
Spill Response Plus Oil Pad	45
Spill Response Plus Oil Roll	45
Spill Response Plus Universal Pad	27
Spill Response Plus Universal Roll	27
Spill Response Spill Kit	99
SpillFix Granular	85
SpillFix Granular Boom	85
Static Resistant Oil Pad	44
Static Resistant Oil Roll	44
SXT Oil-Only Pad	42
SXT Oil-Only Roll	42

Т

Tamper Proof Label	
TOUGHSORB Adhesive Mats	66
TrackMat Matting	70

U

Universal Absorbency	15
Universal Granular	86
Universal Pads and Rolls	17
Universal Pillow	61
Universal Plus Chemical Pad	52
Universal Plus Chemical Roll	52
Universal SOC	59
UXT Xtra Tough Universal Pad	26
UXT Xtra Tough Universal Roll	26

V

Vehicle Spill Berm	92
Vehicle Spill Kit	

We identify and protect premises, products and people.

For more information or to learn more about our innovative products, visit BradyID.com or call 1-888-272-3946.





USA Customer Service: 1-888-272-3946 Inside Sales: 1-888-311-0775 BradyID.com

Canada Customer Service: 1-800-263-6179 BradyCanada.ca

Mexico

Customer Service: 1-800-262-7777 Inside Sales: 1-800-262-7777 ext 177 BradyLatinAmerica.com



© 2018 Brady Worldwide Inc. ALL RIGHTS RESERVED